


STAMINA: ZONE HIGHOUTPUT



Stamina Zone Highoutput is a versatile and durable emergency light that is designed to be used outdoors in demanding industrial environments, such as tunnels, carports, garages, and loading platforms. Wherever there's a need for a stylish but sturdy luminaire to withstand cold and rough conditions, Stamina is the best choice for you.

Stamina has an impact resistant cast aluminium body (IK10) and it is dust- and waterproof (IP65). Stamina's standard colour is graphite grey (RAL 9007). On request, it is also possible to have Stamina in any RAL-colour you like to match the surrounding environment. Stamina can also be used for general lighting.

The product codes starting with letter Y include an individually packed luminaire. The product codes starting with TW include the luminaire only.

ADDRESSABLE 230 V CENTRALLY SUPPLIED EMERGENCY LIGHTS

Product Code	Nominal Supply Voltage	Feature
TWT5751WKH	220-240 V, 50/60 Hz AC,DC	Intelligent Controller, Tapsa Control

We reserve the rights to make modifications without notice.

Copyright © 2021 Teknoware. All rights reserved.







Date: January 05, 2021 | Source:

www.teknoware.com/en/emergency-lighting/emergency-lights/emergency-light-product-families/stamina-zone-highoutput



Teknoware Oy | P.O. Box 19, 15101 Lahti | Ilmarisentie 8, 15200 Lahti Finland
Tel +358 3 883 020 | VAT-number FI01494751 | teknoware.com | emexit@teknoware.com

STAMINA ZONE HIGHOUTPUT EMERGENCY LIGHT TWT5751WKH



Addressable 230 V centrally supplied LED emergency light

The Stamina Zone Highoutput TWT5751WKH is designed to meet the highest demands in challenging environments.

The luminaire has an impact resistant IK10 metal body and it is dust- and waterproof (IP65). This model can be used in freezing temperatures up to -30°C. The Stamina has several mounting options. This model is equipped with optics that enables the luminaire to be installed up to 20 meters to illuminate wide open areas.

Product Code	TWT5751WKH
Feature	Intelligent Controller, Tapsa Control
Mounting (standard)	wall, ceiling
Customs Code	94056080
GTIN Code	6438045024547
ETIM Product Class	EC001957
Length	265 mm
Width	100 mm
Height	87 mm
Weight	1.2 kg
Max Input Power VA	33 VA
Max Input Power W	18 W
Nominal Supply Voltage	220-240 V, 50/60 Hz AC,DC
Protection Class	I
IP Class	IP65
IK Class	IK10
Temperature Range Min - Max	-30...+50 °C
Glow Wire Test of Plastic Materials	850 °C
Light Source	LED
Body Material	cast aluminium
Colour	RAL9007
Electrical Installation	3 x 2,5 mm ²
Luminous Flux	915 lm

Emergency lighting for open areas (ceiling mounting)

Table of 0,5 lux for open areas according to the norm EN 1838, 0,5 m edge district is considered in the table.

Level of measurement 0,02 m, measurement result with battery operation.


We reserve the rights to make modifications without notice.

Copyright © 2021 Teknoware. All rights reserved.

Date: January 05, 2021 | Source:

www.teknoware.com/en/emergency-lighting/stamina-zone-highoutput-emergency-light-twt5751wkh





- R1 distance from wall (X axis)
- R2 installation distance between lights (X axis)
- R3 installation distance between lights (Y axis)
- R4 distance from wall (Y axis)

TWT5751WKH

Mounting height (m)	Below the light lux	R1 (m)	R2 (m)	R3 (m)	R4 (m)
		0,5 lux	0,5 lux	0,5 lux	0,5 lux
3	44	5	12	7	4
4	24	5.5	14	8.5	4.5
6	11	6	16	12	6
8	6.5	9	18	14	7
10	4.5	9.5	19	15	7.5
12	3	10	20	16	8
14	2	10	20	16	8
16	1.5	10	20	16	8
18	1.2	10	20	16	8
20	0.9	10	20	16	8

ONE OR MORE OF THESE IS ALSO REQUIRED:

OPTIONAL MOUNTING ACCESSORIES FOR EMERGENCY LIGHTS



Product Code	Product Name	Compatible Product Groups
XWT5210	Stamina wall bracket XWT5210	Stamina: Zone, Stamina: Zone Highoutput, Stamina: Line Lowbay, Stamina: Line Midbay
XWT5211	Stamina ceiling bracket XWT5211	Stamina: Zone, Stamina: Zone Highoutput, Stamina: Line Lowbay, Easy: Combo Emergency / Exit Light

We reserve the rights to make modifications without notice.

Copyright © 2021 Teknoware. All rights reserved.

Date: January 05, 2021 | Source:

www.teknoware.com/en/emergency-lighting/stamina-zone-highoutput-emergency-light-twt5751wkh



OPTIONAL ACCESSORIES:

OPTIONAL MOUNTING ACCESSORIES FOR EMERGENCY LIGHTS



Product Code	Product Name	Compatible Product Groups
XWT5213	Stamina recess mounting frame XWT5213	Stamina: Zone, Stamina: Zone Highoutput, Stamina: Line Lowbay, Stamina: Line Midbay

We reserve the rights to make modifications without notice.

Copyright © 2021 Teknoware. All rights reserved.

Date: January 05, 2021 | Source:

www.teknoware.com/en/emergency-lighting/stamina-zone-highoutput-emergency-light-twt5751wkh








We reserve the rights to make modifications without notice.
Copyright © 2021 Teknoware. All rights reserved.
Date: January 05, 2021 | Source:
www.teknoware.com/en/emergency-lighting/stamina-zone-highoutput-emergency-light-twt5751wkh

Teknoware Oy | P.O. Box 19, 15101 Lahti | Ilmarisentie 8, 15200 Lahti Finland
Tel +358 3 883 020 | VAT-number FI01494751 | teknoware.com | emexit@teknoware.com





We reserve the rights to make modifications without notice.

Copyright © 2021 Teknoware. All rights reserved.

Date: January 05, 2021 | Source:

www.teknoware.com/en/emergency-lighting/stamina-zone-highoutput-emergency-light-twt5751wkh



Teknoware Oy | P.O. Box 19, 15101 Lahti | Ilmarisentie 8, 15200 Lahti Finland

Tel +358 3 883 020 | VAT-number FI01494751 | teknoware.com | emexit@teknoware.com