

# ESC 10 EMERGENCY EXIT LIGHTS



The elegant exit light, ESC 10, has an extruded aluminium frame and an edge-lighted light plate.

By utilising a separate support bracket, it can be ceiling, wall or side mounted, or suspended, model TW844, is especially suited for wall installation. ESC 10 can be used in a single or double face configuration. Long-lasting LEDs are used as a light source. The exit symbol is silk screened on the interior side of the light plate.

The product codes starting with letter Y include an individually packed luminaire, and the pictogram/s mentioned in the table. The product codes starting with TW include the luminaire only.

## SELF-CONTAINED ESCAP EMERGENCY EXIT LIGHTS WITH SUPER CAPACITOR AND SELF-TESTING

| Product Code | Nominal Supply Voltage | Pictogram | Pictogram Info | Backup (h) |
|--------------|------------------------|-----------|----------------|------------|
| TWS8592WM    | 220-240 V, 50/60 Hz AC |           | 2-sided, 30 m  | 1          |

We reserve the rights to make modifications without notice.

Copyright © 2021 Teknoware. All rights reserved.

Date: February 27, 2021 | Source:

[www.teknoware.com/en/emergency-lighting/emergency-exit-lights/emergency-exit-light-product-families/esc-10-emergency-exit-lights](http://www.teknoware.com/en/emergency-lighting/emergency-exit-lights/emergency-exit-light-product-families/esc-10-emergency-exit-lights)



Teknoware Oy | P.O. Box 19, 15101 Lahti | Ilmarisentie 8, 15200 Lahti Finland  
Tel +358 3 883 020 | VAT-number FI01494751 | [teknoware.com](http://teknoware.com) | [emexit@teknoware.com](mailto:emexit@teknoware.com)

## SELF-CONTAINED ESCAP EMERGENCY EXIT LIGHTS WITH SUPER CAPACITOR AND WIRELESS CENTRAL MONITORING

| Product Code | Nominal Supply Voltage | Pictogram | Pictogram Info | Backup (h) |
|--------------|------------------------|-----------|----------------|------------|
| TWS8592WA    | 220-240 V, 50/60 Hz AC |           | 2-sided, 30 m  | 1          |

## BASIC SELF-CONTAINED ESCAP EMERGENCY EXIT LIGHTS WITH SUPER CAPACITOR

| Product Code | Nominal Supply Voltage | Pictogram | Pictogram Info | Backup (h) |
|--------------|------------------------|-----------|----------------|------------|
| TWS8592W     | 220-240 V, 50/60 Hz AC |           | 2-sided, 30 m  | 1          |

## BASIC SELF-CONTAINED EMERGENCY EXIT LIGHTS WITH BATTERY

| Product Code | Nominal Supply Voltage | Pictogram | Pictogram Info | Backup (h) |
|--------------|------------------------|-----------|----------------|------------|
| TW85053W     | 220-240 V, 50/60 Hz AC |           | 2-sided, 30 m  | 3          |
| TW80253W     | 220-240 V, 50/60 Hz AC |           | 2-sided, 40 m  | 3          |

## ADDRESSABLE 230 V CENTRALLY SUPPLIED EMERGENCY EXIT LIGHTS

| Product Code | Nominal Supply Voltage     | Pictogram | Pictogram Info |
|--------------|----------------------------|-----------|----------------|
| TW80251WK    | 220-240 V, 50/60 Hz AC, DC |           | 2-sided, 40 m  |
| TW85051WK    | 220-240 V, 50/60 Hz AC, DC |           | 2-sided, 30 m  |
| TW84451WK    | 220-240 V, 50/60 Hz AC, DC |           | 2-sided, 30 m  |

## NON-ADDRESSABLE 230 V CENTRALLY SUPPLIED EMERGENCY EXIT LIGHTS

| Product Code | Nominal Supply Voltage     | Pictogram | Pictogram Info |
|--------------|----------------------------|-----------|----------------|
| TW80251W     | 220-240 V, 50/60 Hz AC, DC |           | 2-sided, 40 m  |
| TW85051W     | 220-240 V, 50/60 Hz AC, DC |           | 2-sided, 30 m  |
| TW84451W     | 220-240 V, 50/60 Hz AC, DC |           | 2-sided, 30 m  |

## NON-ADDRESSABLE 24 V CENTRALLY SUPPLIED EMERGENCY EXIT LIGHTS

| Product Code | Nominal Supply Voltage | Pictogram | Pictogram Info |
|--------------|------------------------|-----------|----------------|
| TW80241W     | 24 V, 50/60 Hz AC, DC  |           | 2-sided, 40 m  |
| TW85041W     | 24 V, 50/60 Hz AC, DC  |           | 2-sided, 30 m  |

We reserve the rights to make modifications without notice.

Copyright © 2021 Teknoware. All rights reserved.

Date: February 27, 2021 | Source:

[www.teknoware.com/en/emergency-lighting/emergency-exit-lights/emergency-exit-light-product-families/esc-10-emergency-exit-lights](http://www.teknoware.com/en/emergency-lighting/emergency-exit-lights/emergency-exit-light-product-families/esc-10-emergency-exit-lights)



Teknoware Oy | P.O. Box 19, 15101 Lahti | Ilmarisentie 8, 15200 Lahti Finland  
Tel +358 3 883 020 | VAT-number FI01494751 | [teknoware.com](http://teknoware.com) | [emexit@teknoware.com](mailto:emexit@teknoware.com)

| Product Code | Nominal Supply Voltage | Pictogram | Pictogram Info |
|--------------|------------------------|-----------|----------------|
| TW84441W     | 24 V, 50/60 Hz AC, DC  |           | 2-sided, 30 m  |

We reserve the rights to make modifications without notice.

Copyright © 2021 Teknoware. All rights reserved.

Date: February 27, 2021 | Source:


[www.teknoware.com/en/emergency-lighting/emergency-exit-lights/emergency-exit-light-product-families/esc-10-emergency-exit-lights](http://www.teknoware.com/en/emergency-lighting/emergency-exit-lights/emergency-exit-light-product-families/esc-10-emergency-exit-lights)



Teknoware Oy | P.O. Box 19, 15101 Lahti | Ilmarisentie 8, 15200 Lahti Finland

Tel +358 3 883 020 | VAT-number FI01494751 | [teknoware.com](http://teknoware.com) | [emexit@teknoware.com](mailto:emexit@teknoware.com)

# ESC 10 LED EMERGENCY EXIT LIGHT TWS8592WM



## Self-contained ESCAP Emergency Exit Light with 1 h Super Capacitor and Lumi Test Self-testing

ESC 10 family of luminaires are a stylish alternative for areas, in which the luminaires are required to have a very presentable look.

TW850 / TWT85 / TWS85 is equipped with an aluminium profile body and light plate. Depending on the type of the bracket, which is supplied separately, ESC 10 is suitable for ceiling, wall, suspension or flag mounting.

The luminaire can be used as 1 sided as well as 2 sided. Long lasting leds are used as the luminaire's light source.

We reserve the rights to make modifications without notice.  
Copyright © 2021 Teknoware. All rights reserved.  
Date: February 27, 2021 | Source:  
[www.teknoware.com/en/emergency-lighting/esc-10-led-emergency-exit-light-tws8592wm](http://www.teknoware.com/en/emergency-lighting/esc-10-led-emergency-exit-light-tws8592wm)

Teknoware Oy | P.O. Box 19, 15101 Lahti | Ilmarisentie 8, 15200 Lahti Finland  
Tel +358 3 883 020 | VAT-number FI01494751 | [teknoware.com](http://teknoware.com) | [emexit@teknoware.com](mailto:emexit@teknoware.com)



|                             |                             |
|-----------------------------|-----------------------------|
| Product Code                | TWS8592WM                   |
| Feature                     | Escap, Lumi Test            |
| Mounting (optional)         | ceiling, wall, flag, pendel |
| Customs Code                | 94056080                    |
| GTIN Code                   | 6438045007342               |
| ETIM Product Class          | EC001957                    |
| Length                      | 324 mm                      |
| Width                       | 76 mm                       |
| Height                      | 259 mm                      |
| Weight                      | 2,9 kg                      |
| Backup                      | 1 h                         |
| Max Input Power VA          | 10 VA                       |
| Nominal Supply Voltage      | 220-240 V, 50/60 Hz AC      |
| Protection Class            | I                           |
| IP Class                    | IP20                        |
| Temperature Range Min - Max | -25...+35 °C                |
| Viewing Distance            | 30 m                        |
| Light Source                | LED                         |
| Body Material               | aluminium profile           |
| Colour                      | RAL9006                     |
| Electrical Installation     | 3 x 2,5 mm <sup>2</sup>     |

ONE OR MORE OF THESE IS ALSO REQUIRED:

## PICTOGRAMS FOR EMERGENCY EXIT LIGHTS



| Product Code | Pictogram   | Viewing Distance (m) | Compatible Product Groups    |
|--------------|---|----------------------|------------------------------|
| PBV10301E    |  | 30                   | ESC 10 Emergency Exit Lights |
| PBV10302E    |  | 30                   | ESC 10 Emergency Exit Lights |

We reserve the rights to make modifications without notice.  
 Copyright © 2021 Teknoware. All rights reserved.  
 Date: February 27, 2021 | Source:  
[www.teknoware.com/en/emergency-lighting/esc-10-led-emergency-exit-light-tws8592wm](http://www.teknoware.com/en/emergency-lighting/esc-10-led-emergency-exit-light-tws8592wm)

Teknoware Oy | P.O. Box 19, 15101 Lahti | Ilmarisentie 8, 15200 Lahti Finland  
 Tel +358 3 883 020 | VAT-number FI01494751 | [teknoware.com](http://teknoware.com) | [emexit@teknoware.com](mailto:emexit@teknoware.com)



# OPTIONAL MOUNTING ACCESSORIES FOR EMERGENCY EXIT LIGHTS



| Product Code | Product Name               | Compatible Product Groups    |
|--------------|----------------------------|------------------------------|
| TW77501      | Ceiling bracket TW77501    | ESC 10 Emergency Exit Lights |
| TW77503      | Wall bracket TW77503       | ESC 10 Emergency Exit Lights |
| TW77504      | Suspension bracket TW77504 | ESC 10 Emergency Exit Lights |
| TW77505      | Flag bracket TW77505       | ESC 10 Emergency Exit Lights |

## OPTIONAL ACCESSORIES:

### SHOCK PROTECTING COVERS FOR EMERGENCY LIGHTS





| Product Code | Product Name                    | Compatible Product Groups                                  |
|--------------|---------------------------------|--|
| TW77507B     | Shock protecting cover TW77507B | ESC 10 Emergency Exit Lights, ESC 80 Emergency Exit Lights |

### COVER LABELS FOR EMERGENCY EXIT LIGHTS



| Product Code | Pictogram | Compatible Product Groups    |
|--------------|-----------|------------------------------|
| XW85020      |           | ESC 10 Emergency Exit Lights |






We reserve the rights to make modifications without notice.  
Copyright © 2021 Teknoware. All rights reserved.  
Date: February 27, 2021 | Source:  
[www.teknoware.com/en/emergency-lighting/esc-10-led-emergency-exit-light-tws8592wm](http://www.teknoware.com/en/emergency-lighting/esc-10-led-emergency-exit-light-tws8592wm)

Teknoware Oy | P.O. Box 19, 15101 Lahti | Ilmarisentie 8, 15200 Lahti Finland  
Tel +358 3 883 020 | VAT-number FI01494751 | [teknoware.com](http://teknoware.com) | [emexit@teknoware.com](mailto:emexit@teknoware.com)





# ESC 10 LED EMERGENCY EXIT LIGHT TWS8592WA



## Self-contained ESCAP Emergency Exit Light with 1 h Super Capacitor and Wireless Central Monitoring

ESC 10 family of luminaires are a stylish alternative for areas, in which the luminaires are required to have a very presentable look.

TW850 / TWT85 / TWS85 is equipped with an aluminium profile body and light plate. Depending on the type of the bracket, which is supplied separately, ESC 10 is suitable for ceiling, wall, suspension or flag mounting.

The luminaire can be used as 1 sided as well as 2 sided. Long lasting leds are used as the luminaire's light source.

We reserve the rights to make modifications without notice.  
Copyright © 2021 Teknoware. All rights reserved.  
Date: February 27, 2021 | Source:  
[www.teknoware.com/en/emergency-lighting/esc-10-led-emergency-exit-light-tws8592wa](http://www.teknoware.com/en/emergency-lighting/esc-10-led-emergency-exit-light-tws8592wa)

Teknoware Oy | P.O. Box 19, 15101 Lahti | Ilmarisentie 8, 15200 Lahti Finland  
Tel +358 3 883 020 | VAT-number FI01494751 | [teknoware.com](http://teknoware.com) | [emexit@teknoware.com](mailto:emexit@teknoware.com)



|                             |                                 |
|-----------------------------|---------------------------------|
| Product Code                | TWS8592WA                       |
| Feature                     | Aalto Control, Escap, Lumi Test |
| Mounting (optional)         | ceiling, wall, flag, pendel     |
| Customs Code                | 94056080                        |
| GTIN Code                   | 6438045007335                   |
| ETIM Product Class          | EC001957                        |
| Length                      | 324 mm                          |
| Width                       | 76 mm                           |
| Height                      | 259 mm                          |
| Weight                      | 2,9 kg                          |
| Backup                      | 1 h                             |
| Max Input Power VA          | 10 VA                           |
| Nominal Supply Voltage      | 220-240 V, 50/60 Hz AC          |
| Protection Class            | I                               |
| IP Class                    | IP20                            |
| Temperature Range Min - Max | -25...+35 °C                    |
| Viewing Distance            | 30 m                            |
| Light Source                | LED                             |
| Body Material               | aluminium profile               |
| Colour                      | RAL9006                         |
| Electrical Installation     | 3 x 2,5 mm <sup>2</sup>         |

ONE OR MORE OF THESE IS ALSO REQUIRED:

## PICTOGRAMS FOR EMERGENCY EXIT LIGHTS



| Product Code | Pictogram   | Viewing Distance (m) | Compatible Product Groups    |
|--------------|---|----------------------|------------------------------|
| PBV10301E    |  | 30                   | ESC 10 Emergency Exit Lights |
| PBV10302E    |  | 30                   | ESC 10 Emergency Exit Lights |

We reserve the rights to make modifications without notice.  
 Copyright © 2021 Teknoware. All rights reserved.  
 Date: February 27, 2021 | Source:  
[www.teknoware.com/en/emergency-lighting/esc-10-led-emergency-exit-light-tws8592wa](http://www.teknoware.com/en/emergency-lighting/esc-10-led-emergency-exit-light-tws8592wa)

Teknoware Oy | P.O. Box 19, 15101 Lahti | Ilmarisentie 8, 15200 Lahti Finland  
 Tel +358 3 883 020 | VAT-number FI01494751 | [teknoware.com](http://teknoware.com) | [emexit@teknoware.com](mailto:emexit@teknoware.com)



# OPTIONAL MOUNTING ACCESSORIES FOR EMERGENCY EXIT LIGHTS



| Product Code | Product Name               | Compatible Product Groups    |
|--------------|----------------------------|------------------------------|
| TW77501      | Ceiling bracket TW77501    | ESC 10 Emergency Exit Lights |
| TW77503      | Wall bracket TW77503       | ESC 10 Emergency Exit Lights |
| TW77504      | Suspension bracket TW77504 | ESC 10 Emergency Exit Lights |
| TW77505      | Flag bracket TW77505       | ESC 10 Emergency Exit Lights |

## OPTIONAL ACCESSORIES:

### SHOCK PROTECTING COVERS FOR EMERGENCY LIGHTS



| Product Code | Product Name                    | Compatible Product Groups                                  |
|--------------|---------------------------------|--|
| TW77507B     | Shock protecting cover TW77507B | ESC 10 Emergency Exit Lights, ESC 80 Emergency Exit Lights |

### COVER LABELS FOR EMERGENCY EXIT LIGHTS



| Product Code | Pictogram | Compatible Product Groups    |
|--------------|-----------|------------------------------|
| XW85020      |           | ESC 10 Emergency Exit Lights |

We reserve the rights to make modifications without notice.

Copyright © 2021 Teknoware. All rights reserved.


Date: February 27, 2021 | Source:


[www.teknoware.com/en/emergency-lighting/esc-10-led-emergency-exit-light-tws8592wa](http://www.teknoware.com/en/emergency-lighting/esc-10-led-emergency-exit-light-tws8592wa)

Teknoware Oy | P.O. Box 19, 15101 Lahti | Ilmarisentie 8, 15200 Lahti Finland

Tel +358 3 883 020 | VAT-number FI01494751 | [teknoware.com](http://teknoware.com) | [emexit@teknoware.com](mailto:emexit@teknoware.com)












We reserve the rights to make modifications without notice.  
Copyright © 2021 Teknoware. All rights reserved.  
Date: February 27, 2021 | Source:  
[www.teknoware.com/en/emergency-lighting/esc-10-led-emergency-exit-light-tws8592wa](http://www.teknoware.com/en/emergency-lighting/esc-10-led-emergency-exit-light-tws8592wa)

Teknoware Oy | P.O. Box 19, 15101 Lahti | Ilmarisentie 8, 15200 Lahti Finland  
Tel +358 3 883 020 | VAT-number FI01494751 | [teknoware.com](http://teknoware.com) | [emexit@teknoware.com](mailto:emexit@teknoware.com)



# ESC 10 LED EMERGENCY EXIT LIGHT TWS8592W



## Self-contained ESCAP Emergency Exit Light with 1 h Super Capacitor

ESC 10 family of luminaires are a stylish alternative for areas, in which the luminaires are required to have a very presentable look.

TW850 / TWT85 / TWS85 is equipped with an aluminium profile body and light plate. Depending on the type of the bracket, which is supplied separately, ESC 10 is suitable for ceiling, wall, suspension or flag mounting.

The luminaire can be used as 1 sided as well as 2 sided. Long lasting leds are used as the luminaire's light source.

We reserve the rights to make modifications without notice.  
Copyright © 2021 Teknoware. All rights reserved.  
Date: February 27, 2021 | Source:  
[www.teknoware.com/en/emergency-lighting/esc-10-led-emergency-exit-light-tws8592w](http://www.teknoware.com/en/emergency-lighting/esc-10-led-emergency-exit-light-tws8592w)

Teknoware Oy | P.O. Box 19, 15101 Lahti | Ilmarisentie 8, 15200 Lahti Finland  
Tel +358 3 883 020 | VAT-number FI01494751 | [teknoware.com](http://teknoware.com) | [emexit@teknoware.com](mailto:emexit@teknoware.com)



|                             |                             |
|-----------------------------|-----------------------------|
| Product Code                | TWS8592W                    |
| Feature                     | Escap                       |
| Mounting (optional)         | ceiling, wall, flag, pendel |
| Customs Code                | 94056080                    |
| GTIN Code                   | 6438045006734               |
| ETIM Product Class          | EC001957                    |
| Length                      | 324 mm                      |
| Width                       | 76 mm                       |
| Height                      | 259 mm                      |
| Weight                      | 2,9 kg                      |
| Backup                      | 1 h                         |
| Max Input Power VA          | 10 VA                       |
| Nominal Supply Voltage      | 220-240 V, 50/60 Hz AC      |
| Protection Class            | I                           |
| IP Class                    | IP20                        |
| Temperature Range Min - Max | -25...+35 °C                |
| Viewing Distance            | 30 m                        |
| Light Source                | LED                         |
| Body Material               | aluminium profile           |
| Colour                      | RAL9006                     |
| Electrical Installation     | 3 x 2,5 mm <sup>2</sup>     |

ONE OR MORE OF THESE IS ALSO REQUIRED:

## PICTOGRAMS FOR EMERGENCY EXIT LIGHTS



| Product Code | Pictogram   | Viewing Distance (m) | Compatible Product Groups    |
|--------------|---|----------------------|------------------------------|
| PBV10301E    |  | 30                   | ESC 10 Emergency Exit Lights |
| PBV10302E    |  | 30                   | ESC 10 Emergency Exit Lights |

We reserve the rights to make modifications without notice.

Copyright © 2021 Teknoware. All rights reserved.

Date: February 27, 2021 | Source:

[www.teknoware.com/en/emergency-lighting/esc-10-led-emergency-exit-light-tws8592w](http://www.teknoware.com/en/emergency-lighting/esc-10-led-emergency-exit-light-tws8592w)

Teknoware Oy | P.O. Box 19, 15101 Lahti | Ilmarisentie 8, 15200 Lahti Finland

Tel +358 3 883 020 | VAT-number FI01494751 | [teknoware.com](http://teknoware.com) | [emexit@teknoware.com](mailto:emexit@teknoware.com)



# OPTIONAL MOUNTING ACCESSORIES FOR EMERGENCY EXIT LIGHTS



| Product Code | Product Name               | Compatible Product Groups    |
|--------------|----------------------------|------------------------------|
| TW77501      | Ceiling bracket TW77501    | ESC 10 Emergency Exit Lights |
| TW77503      | Wall bracket TW77503       | ESC 10 Emergency Exit Lights |
| TW77504      | Suspension bracket TW77504 | ESC 10 Emergency Exit Lights |
| TW77505      | Flag bracket TW77505       | ESC 10 Emergency Exit Lights |

## OPTIONAL ACCESSORIES:

### SHOCK PROTECTING COVERS FOR EMERGENCY LIGHTS



| Product Code | Product Name                    | Compatible Product Groups                                  |
|--------------|---------------------------------|--|
| TW77507B     | Shock protecting cover TW77507B | ESC 10 Emergency Exit Lights, ESC 80 Emergency Exit Lights |

### COVER LABELS FOR EMERGENCY EXIT LIGHTS



| Product Code | Pictogram | Compatible Product Groups    |
|--------------|-----------|------------------------------|
| XW85020      |           | ESC 10 Emergency Exit Lights |

We reserve the rights to make modifications without notice.

Copyright © 2021 Teknoware. All rights reserved.

Date: February 27, 2021 | Source:


[www.teknoware.com/en/emergency-lighting/esc-10-led-emergency-exit-light-tws8592w](http://www.teknoware.com/en/emergency-lighting/esc-10-led-emergency-exit-light-tws8592w)


Teknoware Oy | P.O. Box 19, 15101 Lahti | Ilmarisentie 8, 15200 Lahti Finland

Tel +358 3 883 020 | VAT-number FI01494751 | [teknoware.com](http://teknoware.com) | [emexit@teknoware.com](mailto:emexit@teknoware.com)









We reserve the rights to make modifications without notice.  
Copyright © 2021 Teknoware. All rights reserved.  
Date: February 27, 2021 | Source:  
[www.teknoware.com/en/emergency-lighting/esc-10-led-emergency-exit-light-tws8592w](http://www.teknoware.com/en/emergency-lighting/esc-10-led-emergency-exit-light-tws8592w)

Teknoware Oy | P.O. Box 19, 15101 Lahti | Ilmarisentie 8, 15200 Lahti Finland  
Tel +358 3 883 020 | VAT-number FI01494751 | [teknoware.com](http://teknoware.com) | [emexit@teknoware.com](mailto:emexit@teknoware.com)



# ESC 10 LED EMERGENCY EXIT LIGHT TW85053W



## Self-contained 3 h Battery LED Emergency Exit Light

ESC 10 family of luminaires are a stylish alternative for areas, in which the luminaires are required to have a very presentable look.

TW850 / TWT85 / TWS85 is equipped with an aluminium profile body and light plate. Depending on the type of the bracket, which is supplied separately, ESC 10 is suitable for ceiling, wall, suspension or flag mounting.

The luminaire can be used as 1 sided as well as 2 sided. Long lasting leds are used as the luminaire's light source.

|                             |                             |
|-----------------------------|-----------------------------|
| Product Code                | TW85053W                    |
| Mounting (optional)         | ceiling, wall, flag, pendel |
| Customs Code                | 94056080                    |
| GTIN Code                   | 6438045006635               |
| ETIM Product Class          | EC001957                    |
| Length                      | 251 mm                      |
| Width                       | 68 mm                       |
| Height                      | 287 mm                      |
| Weight                      | 1,7 kg                      |
| Backup                      | 3 h                         |
| Max Input Power VA          | 9 VA                        |
| Nominal Supply Voltage      | 220-240 V, 50/60 Hz AC      |
| Protection Class            | I                           |
| IP Class                    | IP20                        |
| Temperature Range Min - Max | -5...+30 °C                 |
| Viewing Distance            | 30 m                        |
| Light Source                | LED                         |
| Body Material               | aluminium profile           |
| Colour                      | RAL9006                     |
| Electrical Installation     | 3 x 2,5 mm <sup>2</sup>     |

ONE OR MORE OF THESE IS ALSO REQUIRED:

## PICTOGRAMS FOR EMERGENCY EXIT LIGHTS



| Product Code | Pictogram   | Viewing Distance (m) | Compatible Product Groups    |
|--------------|---|----------------------|------------------------------|
| PBV10301E    |  | 30                   | ESC 10 Emergency Exit Lights |
| PBV10302E    |  | 30                   | ESC 10 Emergency Exit Lights |

We reserve the rights to make modifications without notice.

Copyright © 2021 Teknoware. All rights reserved.

Date: February 27, 2021 | Source:

[www.teknoware.com/en/emergency-lighting/esc-10-led-emergency-exit-light-tw85053w](http://www.teknoware.com/en/emergency-lighting/esc-10-led-emergency-exit-light-tw85053w)

Teknoware Oy | P.O. Box 19, 15101 Lahti | Ilmarisentie 8, 15200 Lahti Finland

Tel +358 3 883 020 | VAT-number FI01494751 | [teknoware.com](http://teknoware.com) | [emexit@teknoware.com](mailto:emexit@teknoware.com)



# OPTIONAL MOUNTING ACCESSORIES FOR EMERGENCY EXIT LIGHTS



| Product Code | Product Name               | Compatible Product Groups    |
|--------------|----------------------------|------------------------------|
| TW77501      | Ceiling bracket TW77501    | ESC 10 Emergency Exit Lights |
| TW77503      | Wall bracket TW77503       | ESC 10 Emergency Exit Lights |
| TW77504      | Suspension bracket TW77504 | ESC 10 Emergency Exit Lights |
| TW77505      | Flag bracket TW77505       | ESC 10 Emergency Exit Lights |

## OPTIONAL ACCESSORIES:

### SHOCK PROTECTING COVERS FOR EMERGENCY LIGHTS



| Product Code | Product Name                    | Compatible Product Groups                                  |
|--------------|---------------------------------|--|
| TW77507B     | Shock protecting cover TW77507B | ESC 10 Emergency Exit Lights, ESC 80 Emergency Exit Lights |

### COVER LABELS FOR EMERGENCY EXIT LIGHTS



| Product Code | Pictogram | Compatible Product Groups    |
|--------------|-----------|------------------------------|
| XW85020      |           | ESC 10 Emergency Exit Lights |

## SPARE PARTS:

### SPARE PARTS FOR EMERGENCY LIGHTS



| Product Code | Product Name            | Compatible Product Groups |
|--------------|-------------------------|---------------------------|
| W120007      | Battery package W120007 |                           |

We reserve the rights to make modifications without notice.

Copyright © 2021 Teknoware. All rights reserved.


Date: February 27, 2021 | Source:

[www.teknoware.com/en/emergency-lighting/esc-10-led-emergency-exit-light-tw85053w](http://www.teknoware.com/en/emergency-lighting/esc-10-led-emergency-exit-light-tw85053w)

Teknoware Oy | P.O. Box 19, 15101 Lahti | Ilmarisentie 8, 15200 Lahti Finland

Tel +358 3 883 020 | VAT-number FI01494751 | [teknoware.com](http://teknoware.com) | [emexit@teknoware.com](mailto:emexit@teknoware.com)





We reserve the rights to make modifications without notice.

Copyright © 2021 Teknoware. All rights reserved.


Date: February 27, 2021 | Source:

[www.teknoware.com/en/emergency-lighting/esc-10-led-emergency-exit-light-tw85053w](http://www.teknoware.com/en/emergency-lighting/esc-10-led-emergency-exit-light-tw85053w)

Teknoware Oy | P.O. Box 19, 15101 Lahti | Ilmarisentie 8, 15200 Lahti Finland

Tel +358 3 883 020 | VAT-number FI01494751 | [teknoware.com](http://teknoware.com) | [emexit@teknoware.com](mailto:emexit@teknoware.com)





We reserve the rights to make modifications without notice.

Copyright © 2021 Teknoware. All rights reserved.

Date: February 27, 2021 | Source:


[www.teknoware.com/en/emergency-lighting/esc-10-led-emergency-exit-light-tw85053w](http://www.teknoware.com/en/emergency-lighting/esc-10-led-emergency-exit-light-tw85053w)

Teknoware Oy | P.O. Box 19, 15101 Lahti | Ilmarisentie 8, 15200 Lahti Finland

Tel +358 3 883 020 | VAT-number FI01494751 | [teknoware.com](http://teknoware.com) | [emexit@teknoware.com](mailto:emexit@teknoware.com)



# ESC 10 LED EMERGENCY EXIT LIGHT TW80253W



## Self-contained 3 h Battery LED Emergency Exit Light

ESC 10 family of luminaires are a stylish alternative for areas, in which the luminaires are required to have a very presentable look.

TW802 is a LED exit light, equipped with a light plate and a aluminium profile body. It is suitable for ceiling, wall, suspension or flag mounting. The required mounting bracket is delivered separately.

The luminaire can be used as 1 sided as well as 2 sided.



|                             |                             |
|-----------------------------|-----------------------------|
| Product Code                | TW80253W                    |
| Mounting (optional)         | ceiling, wall, flag, pendel |
| Customs Code                | 94056080                    |
| GTIN Code                   | 6438045006598               |
| ETIM Product Class          | EC001957                    |
| Length                      | 239 mm                      |
| Width                       | 68 mm                       |
| Height                      | 326 mm                      |
| Weight                      | 2,9 kg                      |
| Backup                      | 3 h                         |
| Max Input Power VA          | 9 VA                        |
| Nominal Supply Voltage      | 220-240 V, 50/60 Hz AC      |
| Protection Class            | I                           |
| IP Class                    | IP20                        |
| Temperature Range Min - Max | -5...+30 °C                 |
| Viewing Distance            | 40 m                        |
| Light Source                | LED                         |
| Body Material               | aluminium profile           |
| Colour                      | RAL9006                     |
| Electrical Installation     | 3 x 2,5 mm <sup>2</sup>     |

ONE OR MORE OF THESE IS ALSO REQUIRED:

## PICTOGRAMS FOR EMERGENCY EXIT LIGHTS



| Product Code | Pictogram   | Viewing Distance (m) | Compatible Product Groups    |
|--------------|---|----------------------|------------------------------|
| PBV10402E    |  | 40                   | ESC 10 Emergency Exit Lights |
| PBV10401E    |  | 40                   | ESC 10 Emergency Exit Lights |

We reserve the rights to make modifications without notice.

Copyright © 2021 Teknoware. All rights reserved.

Date: February 27, 2021 | Source:

[www.teknoware.com/en/emergency-lighting/esc-10-led-emergency-exit-light-tw80253w](http://www.teknoware.com/en/emergency-lighting/esc-10-led-emergency-exit-light-tw80253w)

Teknoware Oy | P.O. Box 19, 15101 Lahti | Ilmarisentie 8, 15200 Lahti Finland

Tel +358 3 883 020 | VAT-number FI01494751 | [teknoware.com](http://teknoware.com) | [emexit@teknoware.com](mailto:emexit@teknoware.com)



# OPTIONAL MOUNTING ACCESSORIES FOR EMERGENCY EXIT LIGHTS



| Product Code | Product Name               | Compatible Product Groups    |
|--------------|----------------------------|------------------------------|
| TW77501      | Ceiling bracket TW77501    | ESC 10 Emergency Exit Lights |
| TW77503      | Wall bracket TW77503       | ESC 10 Emergency Exit Lights |
| TW77504      | Suspension bracket TW77504 | ESC 10 Emergency Exit Lights |
| TW77505      | Flag bracket TW77505       | ESC 10 Emergency Exit Lights |

## OPTIONAL ACCESSORIES:

### SHOCK PROTECTING COVERS FOR EMERGENCY LIGHTS



| Product Code | Product Name                    | Compatible Product Groups  |
|--------------|---------------------------------|--|
| TW77510B     | Shock protecting cover TW77510B | ESC 10 Emergency Exit Lights, DISCONTINUED: ESC 6L Emergency Exit Lights, ESC 29 Emergency Exit Lights, Safe 29 Emergency Lights, ESC 81 Emergency Exit Lights |

### COVER LABELS FOR EMERGENCY EXIT LIGHTS



| Product Code | Pictogram | Compatible Product Groups    |
|--------------|-----------|------------------------------|
| XW80220      |           | ESC 10 Emergency Exit Lights |

## SPARE PARTS:

### SPARE PARTS FOR EMERGENCY LIGHTS




| Product Code | Product Name            | Compatible Product Groups |
|--------------|-------------------------|---------------------------|
| W120007      | Battery package W120007 |                           |

We reserve the rights to make modifications without notice.  
Copyright © 2021 Teknoware. All rights reserved.  
Date: February 27, 2021 | Source:  
[www.teknoware.com/en/emergency-lighting/esc-10-led-emergency-exit-light-tw80253w](http://www.teknoware.com/en/emergency-lighting/esc-10-led-emergency-exit-light-tw80253w)

Teknoware Oy | P.O. Box 19, 15101 Lahti | Ilmarisentie 8, 15200 Lahti Finland  
Tel +358 3 883 020 | VAT-number FI01494751 | [teknoware.com](http://teknoware.com) | [emexit@teknoware.com](mailto:emexit@teknoware.com)





We reserve the rights to make modifications without notice.

Copyright © 2021 Teknoware. All rights reserved.


Date: February 27, 2021 | Source:

[www.teknoware.com/en/emergency-lighting/esc-10-led-emergency-exit-light-tw80253w](http://www.teknoware.com/en/emergency-lighting/esc-10-led-emergency-exit-light-tw80253w)





Teknoware Oy | P.O. Box 19, 15101 Lahti | Ilmarisentie 8, 15200 Lahti Finland

Tel +358 3 883 020 | VAT-number FI01494751 | [teknoware.com](http://teknoware.com) | [emexit@teknoware.com](mailto:emexit@teknoware.com)

 **TEKNOWARE®**



Max.  
1000mm



We reserve the rights to make modifications without notice.

Copyright © 2021 Teknoware. All rights reserved.

Date: February 27, 2021 | Source:


[www.teknoware.com/en/emergency-lighting/esc-10-led-emergency-exit-light-tw80253w](http://www.teknoware.com/en/emergency-lighting/esc-10-led-emergency-exit-light-tw80253w)

Teknoware Oy | P.O. Box 19, 15101 Lahti | Ilmarisentie 8, 15200 Lahti Finland

Tel +358 3 883 020 | VAT-number FI01494751 | [teknoware.com](http://teknoware.com) | [emexit@teknoware.com](mailto:emexit@teknoware.com)

 **TEKNOWARE®**

# ESC 10 LED EMERGENCY EXIT LIGHT TW80251WK



## Addressable 230 V centrally supplied LED Emergency Exit Light

ESC 10 family of luminaires are a stylish alternative for areas, in which the luminaires are required to have a very presentable look.

TW802 is a LED exit light, equipped with a light plate and a aluminium profile body. It is suitable for ceiling, wall, suspension or flag mounting. The required mounting bracket is delivered separately.

The luminaire can be used as 1 sided as well as 2 sided.

We reserve the rights to make modifications without notice.  
Copyright © 2021 Teknoware. All rights reserved.  
Date: February 27, 2021 | Source:  
[www.teknoware.com/en/emergency-lighting/esc-10-led-emergency-exit-light-tw80251wk](http://www.teknoware.com/en/emergency-lighting/esc-10-led-emergency-exit-light-tw80251wk)

Teknoware Oy | P.O. Box 19, 15101 Lahti | Ilmarisentie 8, 15200 Lahti Finland  
Tel +358 3 883 020 | VAT-number FI01494751 | [teknoware.com](http://teknoware.com) | [emexit@teknoware.com](mailto:emexit@teknoware.com)



|                             |                             |
|-----------------------------|-----------------------------|
| Product Code                | TW80251WK                   |
| Feature                     | Tapsa Control               |
| Mounting (optional)         | ceiling, wall, flag, pendel |
| Customs Code                | 94056080                    |
| GTIN Code                   | 6438045006581               |
| ETIM Product Class          | EC001957                    |
| Length                      | 239 mm                      |
| Width                       | 68 mm                       |
| Height                      | 326 mm                      |
| Weight                      | 1,7 kg                      |
| Max Input Power VA          | 8,2 VA                      |
| Max Input Power W           | 4,6 W                       |
| Nominal Supply Voltage      | 220-240 V, 50/60 Hz AC, DC  |
| Protection Class            | I                           |
| IP Class                    | IP20                        |
| Temperature Range Min - Max | -30...+50 °C                |
| Viewing Distance            | 40 m                        |
| Light Source                | LED                         |
| Body Material               | aluminium profile           |
| Colour                      | RAL9006                     |
| Electrical Installation     | 3 x 2,5 mm <sup>2</sup>     |

ONE OR MORE OF THESE IS ALSO REQUIRED:

## PICTOGRAMS FOR EMERGENCY EXIT LIGHTS



| Product Code | Pictogram   | Viewing Distance (m) | Compatible Product Groups    |
|--------------|---|----------------------|------------------------------|
| PBV10402E    |   | 40                   | ESC 10 Emergency Exit Lights |
| PBV10401E    |   | 40                   | ESC 10 Emergency Exit Lights |

We reserve the rights to make modifications without notice.

Copyright © 2021 Teknoware. All rights reserved.

Date: February 27, 2021 | Source:

[www.teknoware.com/en/emergency-lighting/esc-10-led-emergency-exit-light-tw80251wk](http://www.teknoware.com/en/emergency-lighting/esc-10-led-emergency-exit-light-tw80251wk)



Teknoware Oy | P.O. Box 19, 15101 Lahti | Ilmarisentie 8, 15200 Lahti Finland

Tel +358 3 883 020 | VAT-number FI01494751 | [teknoware.com](http://teknoware.com) | [emexit@teknoware.com](mailto:emexit@teknoware.com)

# OPTIONAL MOUNTING ACCESSORIES FOR EMERGENCY EXIT LIGHTS



| Product Code | Product Name               | Compatible Product Groups    |
|--------------|----------------------------|------------------------------|
| TW77501      | Ceiling bracket TW77501    | ESC 10 Emergency Exit Lights |
| TW77503      | Wall bracket TW77503       | ESC 10 Emergency Exit Lights |
| TW77504      | Suspension bracket TW77504 | ESC 10 Emergency Exit Lights |
| TW77505      | Flag bracket TW77505       | ESC 10 Emergency Exit Lights |

## OPTIONAL ACCESSORIES:

### SHOCK PROTECTING COVERS FOR EMERGENCY LIGHTS



| Product Code | Product Name                    | Compatible Product Groups  |
|--------------|---------------------------------|--|
| TW77510B     | Shock protecting cover TW77510B | ESC 10 Emergency Exit Lights, DISCONTINUED: ESC 6L Emergency Exit Lights, ESC 29 Emergency Exit Lights, Safe 29 Emergency Lights, ESC 81 Emergency Exit Lights |

### COVER LABELS FOR EMERGENCY EXIT LIGHTS



| Product Code | Pictogram | Compatible Product Groups    |
|--------------|-----------|------------------------------|
| XW80220      |           | ESC 10 Emergency Exit Lights |

## SPARE PARTS:

### SPARE PARTS FOR EMERGENCY LIGHTS




| Product Code | Product Name    | Compatible Product Groups   |
|--------------|-----------------|---|
| W100002      | Ballast W100002 | Addressable 230 V Centrally Supplied Emergency Lights, Addressable 230 V Centrally Supplied Emergency Exit Lights |


We reserve the rights to make modifications without notice.  
Copyright © 2021 Teknoware. All rights reserved.  
Date: February 27, 2021 | Source:  
[www.teknoware.com/en/emergency-lighting/esc-10-led-emergency-exit-light-tw80251wk](http://www.teknoware.com/en/emergency-lighting/esc-10-led-emergency-exit-light-tw80251wk)

Teknoware Oy | P.O. Box 19, 15101 Lahti | Ilmarisentie 8, 15200 Lahti Finland  
Tel +358 3 883 020 | VAT-number FI01494751 | [teknoware.com](http://teknoware.com) | [emexit@teknoware.com](mailto:emexit@teknoware.com)













Max.  
1000mm



We reserve the rights to make modifications without notice.

Copyright © 2021 Teknoware. All rights reserved.

Date: February 27, 2021 | Source:


[www.teknoware.com/en/emergency-lighting/esc-10-led-emergency-exit-light-tw80251wk](http://www.teknoware.com/en/emergency-lighting/esc-10-led-emergency-exit-light-tw80251wk)

Teknoware Oy | P.O. Box 19, 15101 Lahti | Ilmarisentie 8, 15200 Lahti Finland

Tel +358 3 883 020 | VAT-number FI01494751 | [teknoware.com](http://teknoware.com) | [emexit@teknoware.com](mailto:emexit@teknoware.com)

 **TEKNOWARE®**

# ESC 10 LED EMERGENCY EXIT LIGHT TW85051WK



## Addressable 230 V centrally supplied LED emergency light

ESC 10 family of luminaires are a stylish alternative for areas, in which the luminaires are required to have a very presentable look.

TW850 / TWT85 / TWS85 is equipped with an aluminium profile body and light plate. Depending on the type of the bracket, which is supplied separately, ESC 10 is suitable for ceiling, wall, suspension or flag mounting.

The luminaire can be used as 1 sided as well as 2 sided. Long lasting leds are used as the luminaire's light source.

|                             |                             |
|-----------------------------|-----------------------------|
| Product Code                | TW85051WK                   |
| Feature                     | Tapsa Control               |
| Mounting (optional)         | ceiling, wall, flag, pendel |
| Customs Code                | 94056080                    |
| GTIN Code                   | 6438045006628               |
| ETIM Product Class          | EC001955                    |
| Length                      | 251 mm                      |
| Width                       | 68 mm                       |
| Height                      | 287 mm                      |
| Weight                      | 1,7 kg                      |
| Max Input Power VA          | 8,3 VA                      |
| Max Input Power W           | 4,6 W                       |
| Nominal Supply Voltage      | 220-240 V, 50/60 Hz AC, DC  |
| Protection Class            | I                           |
| IP Class                    | IP20                        |
| Temperature Range Min - Max | -30...+50 °C                |
| Viewing Distance            | 30 m                        |
| Light Source                | LED                         |
| Body Material               | aluminium profile           |
| Colour                      | RAL9006                     |
| Electrical Installation     | 3 x 2,5 mm <sup>2</sup>     |

ONE OR MORE OF THESE IS ALSO REQUIRED:

## PICTOGRAMS FOR EMERGENCY EXIT LIGHTS



| Product Code | Pictogram   | Viewing Distance (m) | Compatible Product Groups    |
|--------------|---|----------------------|------------------------------|
| PBV10301E    |  | 30                   | ESC 10 Emergency Exit Lights |
| PBV10302E    |  | 30                   | ESC 10 Emergency Exit Lights |

We reserve the rights to make modifications without notice.

Copyright © 2021 Teknoware. All rights reserved.

Date: February 27, 2021 | Source:

[www.teknoware.com/en/emergency-lighting/esc-10-led-emergency-exit-light-tw85051wk](http://www.teknoware.com/en/emergency-lighting/esc-10-led-emergency-exit-light-tw85051wk)



Teknoware Oy | P.O. Box 19, 15101 Lahti | Ilmarisentie 8, 15200 Lahti Finland

Tel +358 3 883 020 | VAT-number FI01494751 | [teknoware.com](http://teknoware.com) | [emexit@teknoware.com](mailto:emexit@teknoware.com)

# OPTIONAL MOUNTING ACCESSORIES FOR EMERGENCY EXIT LIGHTS



| Product Code | Product Name               | Compatible Product Groups    |
|--------------|----------------------------|------------------------------|
| TW77501      | Ceiling bracket TW77501    | ESC 10 Emergency Exit Lights |
| TW77503      | Wall bracket TW77503       | ESC 10 Emergency Exit Lights |
| TW77504      | Suspension bracket TW77504 | ESC 10 Emergency Exit Lights |
| TW77505      | Flag bracket TW77505       | ESC 10 Emergency Exit Lights |

## OPTIONAL ACCESSORIES:

### SHOCK PROTECTING COVERS FOR EMERGENCY LIGHTS



| Product Code | Product Name                    | Compatible Product Groups                                  |
|--------------|---------------------------------|--|
| TW77507B     | Shock protecting cover TW77507B | ESC 10 Emergency Exit Lights, ESC 80 Emergency Exit Lights |

### COVER LABELS FOR EMERGENCY EXIT LIGHTS



| Product Code | Pictogram | Compatible Product Groups    |
|--------------|-----------|------------------------------|
| XW85020      |           | ESC 10 Emergency Exit Lights |

## SPARE PARTS:

### SPARE PARTS FOR EMERGENCY LIGHTS



| Product Code | Product Name    | Compatible Product Groups   |
|--------------|-----------------|---|
| W100001      | Ballast W100001 | Addressable 230 V Centrally Supplied Emergency Lights, Addressable 230 V Centrally Supplied Emergency Exit Lights |

We reserve the rights to make modifications without notice.

Copyright © 2021 Teknoware. All rights reserved.


Date: February 27, 2021 | Source:

[www.teknoware.com/en/emergency-lighting/esc-10-led-emergency-exit-light-tw85051wk](http://www.teknoware.com/en/emergency-lighting/esc-10-led-emergency-exit-light-tw85051wk)

Teknoware Oy | P.O. Box 19, 15101 Lahti | Ilmarisentie 8, 15200 Lahti Finland

Tel +358 3 883 020 | VAT-number FI01494751 | [teknoware.com](http://teknoware.com) | [emexit@teknoware.com](mailto:emexit@teknoware.com)





We reserve the rights to make modifications without notice.

Copyright © 2021 Teknoware. All rights reserved.


Date: February 27, 2021 | Source:

[www.teknoware.com/en/emergency-lighting/esc-10-led-emergency-exit-light-tw85051wk](http://www.teknoware.com/en/emergency-lighting/esc-10-led-emergency-exit-light-tw85051wk)

Teknoware Oy | P.O. Box 19, 15101 Lahti | Ilmarisentie 8, 15200 Lahti Finland

Tel +358 3 883 020 | VAT-number FI01494751 | [teknoware.com](http://teknoware.com) | [emexit@teknoware.com](mailto:emexit@teknoware.com)

 **TEKNOWARE®**



We reserve the rights to make modifications without notice.

Copyright © 2021 Teknoware. All rights reserved.

Date: February 27, 2021 | Source:


[www.teknoware.com/en/emergency-lighting/esc-10-led-emergency-exit-light-tw85051wk](http://www.teknoware.com/en/emergency-lighting/esc-10-led-emergency-exit-light-tw85051wk)

Teknoware Oy | P.O. Box 19, 15101 Lahti | Ilmarisentie 8, 15200 Lahti Finland

Tel +358 3 883 020 | VAT-number FI01494751 | [teknoware.com](http://teknoware.com) | [emexit@teknoware.com](mailto:emexit@teknoware.com)



# ESC 10 LED EMERGENCY EXIT LIGHT TW80251W



## 230 V centrally supplied LED Emergency Exit Light

ESC 10 family of luminaires are a stylish alternative for areas, in which the luminaires are required to have a very presentable look.

TW802 is a LED exit light, equipped with a light plate and a aluminium profile body. It is suitable for ceiling, wall, suspension or flag mounting. The required mounting bracket is delivered separately.

The luminaire can be used as 1 sided as well as 2 sided.

|                             |                             |
|-----------------------------|-----------------------------|
| Product Code                | TW80251W                    |
| Mounting (optional)         | ceiling, wall, flag, pendel |
| Customs Code                | 94056080                    |
| GTIN Code                   | 6438045006574               |
| ETIM Product Class          | EC001957                    |
| Length                      | 239 mm                      |
| Width                       | 68 mm                       |
| Height                      | 326 mm                      |
| Weight                      | 1,7 kg                      |
| Max Input Power VA          | 9,4 VA                      |
| Max Input Power W           | 4,7 W                       |
| Nominal Supply Voltage      | 220-240 V, 50/60 Hz AC, DC  |
| Protection Class            | I                           |
| IP Class                    | IP20                        |
| Temperature Range Min - Max | -30...+50 °C                |
| Viewing Distance            | 40 m                        |
| Light Source                | LED                         |
| Body Material               | aluminium profile           |
| Colour                      | RAL9006                     |
| Electrical Installation     | 3 x 2,5 mm <sup>2</sup>     |

ONE OR MORE OF THESE IS ALSO REQUIRED:

## PICTOGRAMS FOR EMERGENCY EXIT LIGHTS



| Product Code | Pictogram   | Viewing Distance (m) | Compatible Product Groups    |
|--------------|---|----------------------|------------------------------|
| PBV10402E    |  | 40                   | ESC 10 Emergency Exit Lights |
| PBV10401E    |  | 40                   | ESC 10 Emergency Exit Lights |

We reserve the rights to make modifications without notice.

Copyright © 2021 Teknoware. All rights reserved.

Date: February 27, 2021 | Source:

[www.teknoware.com/en/emergency-lighting/esc-10-led-emergency-exit-light-tw80251w](http://www.teknoware.com/en/emergency-lighting/esc-10-led-emergency-exit-light-tw80251w)

Teknoware Oy | P.O. Box 19, 15101 Lahti | Ilmarisentie 8, 15200 Lahti Finland

Tel +358 3 883 020 | VAT-number FI01494751 | [teknoware.com](http://teknoware.com) | [emexit@teknoware.com](mailto:emexit@teknoware.com)





# OPTIONAL MOUNTING ACCESSORIES FOR EMERGENCY EXIT LIGHTS



| Product Code | Product Name               | Compatible Product Groups    |
|--------------|----------------------------|------------------------------|
| TW77501      | Ceiling bracket TW77501    | ESC 10 Emergency Exit Lights |
| TW77503      | Wall bracket TW77503       | ESC 10 Emergency Exit Lights |
| TW77504      | Suspension bracket TW77504 | ESC 10 Emergency Exit Lights |
| TW77505      | Flag bracket TW77505       | ESC 10 Emergency Exit Lights |

## OPTIONAL ACCESSORIES:

### SHOCK PROTECTING COVERS FOR EMERGENCY LIGHTS



| Product Code | Product Name                    | Compatible Product Groups  |
|--------------|---------------------------------|--|
| TW77510B     | Shock protecting cover TW77510B | ESC 10 Emergency Exit Lights, DISCONTINUED: ESC 6L Emergency Exit Lights, ESC 29 Emergency Exit Lights, Safe 29 Emergency Lights, ESC 81 Emergency Exit Lights |

### COVER LABELS FOR EMERGENCY EXIT LIGHTS



| Product Code | Pictogram | Compatible Product Groups    |
|--------------|-----------|------------------------------|
| XW80220      |           | ESC 10 Emergency Exit Lights |

## SPARE PARTS:

### SPARE PARTS FOR EMERGENCY LIGHTS




| Product Code | Product Name    | Compatible Product Groups                                    |
|--------------|-----------------|--|
| W100008      | Ballast W100008 | TKT66C Central Battery Systems, ESC 10 Emergency Exit Lights |

We reserve the rights to make modifications without notice.  
Copyright © 2021 Teknoware. All rights reserved.  
Date: February 27, 2021 | Source:  
[www.teknoware.com/en/emergency-lighting/esc-10-led-emergency-exit-light-tw80251w](http://www.teknoware.com/en/emergency-lighting/esc-10-led-emergency-exit-light-tw80251w)

Teknoware Oy | P.O. Box 19, 15101 Lahti | Ilmarisentie 8, 15200 Lahti Finland  
Tel +358 3 883 020 | VAT-number FI01494751 | [teknoware.com](http://teknoware.com) | [emexit@teknoware.com](mailto:emexit@teknoware.com)





We reserve the rights to make modifications without notice.

Copyright © 2021 Teknoware. All rights reserved.


Date: February 27, 2021 | Source:

[www.teknoware.com/en/emergency-lighting/esc-10-led-emergency-exit-light-tw80251w](http://www.teknoware.com/en/emergency-lighting/esc-10-led-emergency-exit-light-tw80251w)





Teknoware Oy | P.O. Box 19, 15101 Lahti | Ilmarisentie 8, 15200 Lahti Finland

Tel +358 3 883 020 | VAT-number FI01494751 | [teknoware.com](http://teknoware.com) | [emexit@teknoware.com](mailto:emexit@teknoware.com)

 **TEKNOWARE®**



Max.  
1000mm



We reserve the rights to make modifications without notice.

Copyright © 2021 Teknoware. All rights reserved.

Date: February 27, 2021 | Source:


[www.teknoware.com/en/emergency-lighting/esc-10-led-emergency-exit-light-tw80251w](http://www.teknoware.com/en/emergency-lighting/esc-10-led-emergency-exit-light-tw80251w)

Teknoware Oy | P.O. Box 19, 15101 Lahti | Ilmarisentie 8, 15200 Lahti Finland

Tel +358 3 883 020 | VAT-number FI01494751 | [teknoware.com](http://teknoware.com) | [emexit@teknoware.com](mailto:emexit@teknoware.com)

 **TEKNOWARE®**

# ESC 10 LED EMERGENCY EXIT LIGHT TW85051W



## 230 V centrally supplied LED Emergency Exit Light

ESC 10 family of luminaires are a stylish alternative for areas, in which the luminaires are required to have a very presentable look.

TW850 / TWT85 / TWS85 is equipped with an aluminium profile body and light plate. Depending on the type of the bracket, which is supplied separately, ESC 10 is suitable for ceiling, wall, suspension or flag mounting.

The luminaire can be used as 1 sided as well as 2 sided. Long lasting leds are used as the luminaire's light source.

|                             |                             |
|-----------------------------|-----------------------------|
| Product Code                | TW85051W                    |
| Mounting (optional)         | ceiling, wall, flag, pendel |
| Customs Code                | 94056080                    |
| GTIN Code                   | 6438045006611               |
| ETIM Product Class          | EC001957                    |
| Length                      | 251 mm                      |
| Width                       | 68 mm                       |
| Height                      | 287 mm                      |
| Weight                      | 1,7 kg                      |
| Max Input Power VA          | 8,2 VA                      |
| Max Input Power W           | 3,9 W                       |
| Nominal Supply Voltage      | 220-240 V, 50/60 Hz AC, DC  |
| Protection Class            | I                           |
| IP Class                    | IP20                        |
| Temperature Range Min - Max | -30...+50 °C                |
| Viewing Distance            | 30 m                        |
| Light Source                | LED                         |
| Body Material               | aluminium profile           |
| Colour                      | RAL9006                     |
| Electrical Installation     | 3 x 2,5 mm <sup>2</sup>     |

ONE OR MORE OF THESE IS ALSO REQUIRED:

## PICTOGRAMS FOR EMERGENCY EXIT LIGHTS



| Product Code | Pictogram   | Viewing Distance (m) | Compatible Product Groups    |
|--------------|---|----------------------|------------------------------|
| PBV10301E    |  | 30                   | ESC 10 Emergency Exit Lights |
| PBV10302E    |  | 30                   | ESC 10 Emergency Exit Lights |

We reserve the rights to make modifications without notice.

Copyright © 2021 Teknoware. All rights reserved.

Date: February 27, 2021 | Source:

[www.teknoware.com/en/emergency-lighting/esc-10-led-emergency-exit-light-tw85051w](http://www.teknoware.com/en/emergency-lighting/esc-10-led-emergency-exit-light-tw85051w)

Teknoware Oy | P.O. Box 19, 15101 Lahti | Ilmarisentie 8, 15200 Lahti Finland

Tel +358 3 883 020 | VAT-number FI01494751 | [teknoware.com](http://teknoware.com) | [emexit@teknoware.com](mailto:emexit@teknoware.com)



# OPTIONAL MOUNTING ACCESSORIES FOR EMERGENCY EXIT LIGHTS



| Product Code | Product Name               | Compatible Product Groups    |
|--------------|----------------------------|------------------------------|
| TW77501      | Ceiling bracket TW77501    | ESC 10 Emergency Exit Lights |
| TW77503      | Wall bracket TW77503       | ESC 10 Emergency Exit Lights |
| TW77504      | Suspension bracket TW77504 | ESC 10 Emergency Exit Lights |
| TW77505      | Flag bracket TW77505       | ESC 10 Emergency Exit Lights |

## OPTIONAL ACCESSORIES:

### SHOCK PROTECTING COVERS FOR EMERGENCY LIGHTS



| Product Code | Product Name                    | Compatible Product Groups                                  |
|--------------|---------------------------------|--|
| TW77507B     | Shock protecting cover TW77507B | ESC 10 Emergency Exit Lights, ESC 80 Emergency Exit Lights |

### COVER LABELS FOR EMERGENCY EXIT LIGHTS



| Product Code | Pictogram | Compatible Product Groups    |
|--------------|-----------|------------------------------|
| XW85020      |           | ESC 10 Emergency Exit Lights |

## SPARE PARTS:

### SPARE PARTS FOR EMERGENCY LIGHTS



| Product Code | Product Name    | Compatible Product Groups                                    |
|--------------|-----------------|--|
| W100008      | Ballast W100008 | TKT66C Central Battery Systems, ESC 10 Emergency Exit Lights |

We reserve the rights to make modifications without notice.

Copyright © 2021 Teknoware. All rights reserved.


Date: February 27, 2021 | Source:

[www.teknoware.com/en/emergency-lighting/esc-10-led-emergency-exit-light-tw85051w](http://www.teknoware.com/en/emergency-lighting/esc-10-led-emergency-exit-light-tw85051w)

Teknoware Oy | P.O. Box 19, 15101 Lahti | Ilmarisentie 8, 15200 Lahti Finland

Tel +358 3 883 020 | VAT-number FI01494751 | [teknoware.com](http://teknoware.com) | [emexit@teknoware.com](mailto:emexit@teknoware.com)





We reserve the rights to make modifications without notice.

Copyright © 2021 Teknoware. All rights reserved.


Date: February 27, 2021 | Source:

[www.teknoware.com/en/emergency-lighting/esc-10-led-emergency-exit-light-tw85051w](http://www.teknoware.com/en/emergency-lighting/esc-10-led-emergency-exit-light-tw85051w)

Teknoware Oy | P.O. Box 19, 15101 Lahti | Ilmarisentie 8, 15200 Lahti Finland

Tel +358 3 883 020 | VAT-number FI01494751 | [teknoware.com](http://teknoware.com) | [emexit@teknoware.com](mailto:emexit@teknoware.com)

 **TEKNOWARE®**



We reserve the rights to make modifications without notice.

Copyright © 2021 Teknoware. All rights reserved.

Date: February 27, 2021 | Source:

[www.teknoware.com/en/emergency-lighting/esc-10-led-emergency-exit-light-tw85051w](http://www.teknoware.com/en/emergency-lighting/esc-10-led-emergency-exit-light-tw85051w)


Teknoware Oy | P.O. Box 19, 15101 Lahti | Ilmarisentie 8, 15200 Lahti Finland

Tel +358 3 883 020 | VAT-number FI01494751 | [teknoware.com](http://teknoware.com) | [emexit@teknoware.com](mailto:emexit@teknoware.com)





# ESC 10 LED EMERGENCY EXIT LIGHT TW80241W



## 24 V centrally supplied LED Emergency Exit Light

ESC 10 family of luminaires are a stylish alternative for areas, in which the luminaires are required to have a very presentable look.

TW802 is a LED exit light, equipped with a light plate and a aluminium profile body. It is suitable for ceiling, wall, suspension or flag mounting. The required mounting bracket is delivered separately.

The luminaire can be used as 1 sided as well as 2 sided.

|                             |                             |
|-----------------------------|-----------------------------|
| Product Code                | TW80241W                    |
| Mounting (optional)         | ceiling, wall, flag, pendel |
| Customs Code                | 94056080                    |
| GTIN Code                   | 6438045006567               |
| ETIM Product Class          | EC001957                    |
| Length                      | 239 mm                      |
| Width                       | 68 mm                       |
| Height                      | 326 mm                      |
| Weight                      | 1,7 kg                      |
| Max Input Power VA          | 2 VA                        |
| Max Input Power W           | 2,5 W                       |
| Nominal Supply Voltage      | 24 V, 50/60 Hz AC, DC       |
| Protection Class            | III                         |
| IP Class                    | IP20                        |
| Temperature Range Min - Max | -30...+50 °C                |
| Viewing Distance            | 40 m                        |
| Light Source                | LED                         |
| Body Material               | aluminium profile           |
| Colour                      | RAL9006                     |
| Electrical Installation     | 2 x 2,5 mm <sup>2</sup>     |

ONE OR MORE OF THESE IS ALSO REQUIRED:

## PICTOGRAMS FOR EMERGENCY EXIT LIGHTS



| Product Code | Pictogram   | Viewing Distance (m) | Compatible Product Groups    |
|--------------|---|----------------------|------------------------------|
| PBV10402E    |   | 40                   | ESC 10 Emergency Exit Lights |
| PBV10401E    |   | 40                   | ESC 10 Emergency Exit Lights |

We reserve the rights to make modifications without notice.

Copyright © 2021 Teknoware. All rights reserved.

Date: February 27, 2021 | Source:

[www.teknoware.com/en/emergency-lighting/esc-10-led-emergency-exit-light-tw80241w](http://www.teknoware.com/en/emergency-lighting/esc-10-led-emergency-exit-light-tw80241w)

Teknoware Oy | P.O. Box 19, 15101 Lahti | Ilmarisentie 8, 15200 Lahti Finland

Tel +358 3 883 020 | VAT-number FI01494751 | [teknoware.com](http://teknoware.com) | [emexit@teknoware.com](mailto:emexit@teknoware.com)



# OPTIONAL MOUNTING ACCESSORIES FOR EMERGENCY EXIT LIGHTS



| Product Code | Product Name               | Compatible Product Groups    |
|--------------|----------------------------|------------------------------|
| TW77501      | Ceiling bracket TW77501    | ESC 10 Emergency Exit Lights |
| TW77503      | Wall bracket TW77503       | ESC 10 Emergency Exit Lights |
| TW77504      | Suspension bracket TW77504 | ESC 10 Emergency Exit Lights |
| TW77505      | Flag bracket TW77505       | ESC 10 Emergency Exit Lights |

## OPTIONAL ACCESSORIES:

### SHOCK PROTECTING COVERS FOR EMERGENCY LIGHTS



| Product Code | Product Name                    | Compatible Product Groups  |
|--------------|---------------------------------|--|
| TW77510B     | Shock protecting cover TW77510B | ESC 10 Emergency Exit Lights, DISCONTINUED: ESC 6L Emergency Exit Lights, ESC 29 Emergency Exit Lights, Safe 29 Emergency Lights, ESC 81 Emergency Exit Lights |

### COVER LABELS FOR EMERGENCY EXIT LIGHTS



| Product Code | Pictogram | Compatible Product Groups    |
|--------------|-----------|------------------------------|
| XW80220      |           | ESC 10 Emergency Exit Lights |

We reserve the rights to make modifications without notice.

Copyright © 2021 Teknoware. All rights reserved.


Date: February 27, 2021 | Source:

[www.teknoware.com/en/emergency-lighting/esc-10-led-emergency-exit-light-tw80241w](http://www.teknoware.com/en/emergency-lighting/esc-10-led-emergency-exit-light-tw80241w)

Teknoware Oy | P.O. Box 19, 15101 Lahti | Ilmarisentie 8, 15200 Lahti Finland

Tel +358 3 883 020 | VAT-number FI01494751 | [teknoware.com](http://teknoware.com) | [emexit@teknoware.com](mailto:emexit@teknoware.com)





We reserve the rights to make modifications without notice.

Copyright © 2021 Teknoware. All rights reserved.


Date: February 27, 2021 | Source:

[www.teknoware.com/en/emergency-lighting/esc-10-led-emergency-exit-light-tw80241w](http://www.teknoware.com/en/emergency-lighting/esc-10-led-emergency-exit-light-tw80241w)

Teknoware Oy | P.O. Box 19, 15101 Lahti | Ilmarisentie 8, 15200 Lahti Finland

Tel +358 3 883 020 | VAT-number FI01494751 | [teknoware.com](http://teknoware.com) | [emexit@teknoware.com](mailto:emexit@teknoware.com)

 **TEKNOWARE®**



We reserve the rights to make modifications without notice.

Copyright © 2021 Teknoware. All rights reserved.

Date: February 27, 2021 | Source:


[www.teknoware.com/en/emergency-lighting/esc-10-led-emergency-exit-light-tw80241w](http://www.teknoware.com/en/emergency-lighting/esc-10-led-emergency-exit-light-tw80241w)

Teknoware Oy | P.O. Box 19, 15101 Lahti | Ilmarisentie 8, 15200 Lahti Finland

Tel +358 3 883 020 | VAT-number FI01494751 | [teknoware.com](http://teknoware.com) | [emexit@teknoware.com](mailto:emexit@teknoware.com)



# ESC 10 LED EMERGENCY EXIT LIGHT TW85041W



## 24 V centrally supplied LED Emergency Exit Light

ESC 10 family of luminaires are a stylish alternative for areas, in which the luminaires are required to have a very presentable look.

TW850 / TWT85 / TWS85 is equipped with an aluminium profile body and light plate. Depending on the type of the bracket, which is supplied separately, ESC 10 is suitable for ceiling, wall, suspension or flag mounting.

The luminaire can be used as 1 sided as well as 2 sided. Long lasting leds are used as the luminaire's light source.

|                             |                             |
|-----------------------------|-----------------------------|
| Product Code                | TW85041W                    |
| Mounting (optional)         | ceiling, wall, flag, pendel |
| Customs Code                | 94056080                    |
| GTIN Code                   | 6438045006604               |
| ETIM Product Class          | EC001957                    |
| Length                      | 251 mm                      |
| Width                       | 68 mm                       |
| Height                      | 287 mm                      |
| Weight                      | 1,7 kg                      |
| Max Input Power VA          | 2,1 VA                      |
| Max Input Power W           | 2,5 W                       |
| Nominal Supply Voltage      | 24 V, 50/60 Hz AC, DC       |
| Protection Class            | III                         |
| IP Class                    | IP20                        |
| Temperature Range Min - Max | -30...+50 °C                |
| Viewing Distance            | 30 m                        |
| Light Source                | LED                         |
| Body Material               | aluminium profile           |
| Colour                      | RAL9006                     |
| Electrical Installation     | 2 x 2,5 mm <sup>2</sup>     |

ONE OR MORE OF THESE IS ALSO REQUIRED:

## PICTOGRAMS FOR EMERGENCY EXIT LIGHTS



| Product Code | Pictogram   | Viewing Distance (m) | Compatible Product Groups    |
|--------------|---|----------------------|------------------------------|
| PBV10301E    |  | 30                   | ESC 10 Emergency Exit Lights |
| PBV10302E    |  | 30                   | ESC 10 Emergency Exit Lights |

We reserve the rights to make modifications without notice.

Copyright © 2021 Teknoware. All rights reserved.

Date: February 27, 2021 | Source:

[www.teknoware.com/en/emergency-lighting/esc-10-led-emergency-exit-light-tw85041w](http://www.teknoware.com/en/emergency-lighting/esc-10-led-emergency-exit-light-tw85041w)

Teknoware Oy | P.O. Box 19, 15101 Lahti | Ilmarisentie 8, 15200 Lahti Finland

Tel +358 3 883 020 | VAT-number FI01494751 | [teknoware.com](http://teknoware.com) | [emexit@teknoware.com](mailto:emexit@teknoware.com)



# OPTIONAL MOUNTING ACCESSORIES FOR EMERGENCY EXIT LIGHTS



| Product Code | Product Name               | Compatible Product Groups    |
|--------------|----------------------------|------------------------------|
| TW77501      | Ceiling bracket TW77501    | ESC 10 Emergency Exit Lights |
| TW77503      | Wall bracket TW77503       | ESC 10 Emergency Exit Lights |
| TW77504      | Suspension bracket TW77504 | ESC 10 Emergency Exit Lights |
| TW77505      | Flag bracket TW77505       | ESC 10 Emergency Exit Lights |

## OPTIONAL ACCESSORIES:

### SHOCK PROTECTING COVERS FOR EMERGENCY LIGHTS



| Product Code | Product Name                    | Compatible Product Groups                                  |
|--------------|---------------------------------|--|
| TW77507B     | Shock protecting cover TW77507B | ESC 10 Emergency Exit Lights, ESC 80 Emergency Exit Lights |

### COVER LABELS FOR EMERGENCY EXIT LIGHTS



| Product Code | Pictogram | Compatible Product Groups    |
|--------------|-----------|------------------------------|
| XW85020      |           | ESC 10 Emergency Exit Lights |

We reserve the rights to make modifications without notice.

Copyright © 2021 Teknoware. All rights reserved.

Date: February 27, 2021 | Source:


[www.teknoware.com/en/emergency-lighting/esc-10-led-emergency-exit-light-tw85041w](http://www.teknoware.com/en/emergency-lighting/esc-10-led-emergency-exit-light-tw85041w)

Teknoware Oy | P.O. Box 19, 15101 Lahti | Ilmarisentie 8, 15200 Lahti Finland

Tel +358 3 883 020 | VAT-number FI01494751 | [teknoware.com](http://teknoware.com) | [emexit@teknoware.com](mailto:emexit@teknoware.com)







We reserve the rights to make modifications without notice.

Copyright © 2021 Teknoware. All rights reserved.


Date: February 27, 2021 | Source:

[www.teknoware.com/en/emergency-lighting/esc-10-led-emergency-exit-light-tw85041w](http://www.teknoware.com/en/emergency-lighting/esc-10-led-emergency-exit-light-tw85041w)

Teknoware Oy | P.O. Box 19, 15101 Lahti | Ilmarisentie 8, 15200 Lahti Finland

Tel +358 3 883 020 | VAT-number FI01494751 | [teknoware.com](http://teknoware.com) | [emexit@teknoware.com](mailto:emexit@teknoware.com)

 **TEKNOWARE®**



We reserve the rights to make modifications without notice.

Copyright © 2021 Teknoware. All rights reserved.

Date: February 27, 2021 | Source:

[www.teknoware.com/en/emergency-lighting/esc-10-led-emergency-exit-light-tw85041w](http://www.teknoware.com/en/emergency-lighting/esc-10-led-emergency-exit-light-tw85041w)

Teknoware Oy | P.O. Box 19, 15101 Lahti | Ilmarisentie 8, 15200 Lahti Finland

Tel +358 3 883 020 | VAT-number FI01494751 | [teknoware.com](http://teknoware.com) | [emexit@teknoware.com](mailto:emexit@teknoware.com)



# ESC 10 LED EMERGENCY EXIT LIGHT TW84451WK



## Addressable 230 V centrally supplied LED Emergency Exit Light

TW844 is a stylish light plate LED exit light with aluminium profile body, for wall mounting.<

The luminaire can be used 1 sided as well as 2 sided. Long lasting leds are used as the luminaire's light source.

The pictogram of the luminaire is screen printed on the inside surface of the light plate.

We reserve the rights to make modifications without notice.  
Copyright © 2021 Teknoware. All rights reserved.  
Date: February 27, 2021 | Source:  
[www.teknoware.com/en/emergency-lighting/esc-10-led-emergency-exit-light-tw84451wk](http://www.teknoware.com/en/emergency-lighting/esc-10-led-emergency-exit-light-tw84451wk)

Teknoware Oy | P.O. Box 19, 15101 Lahti | Ilmarisentie 8, 15200 Lahti Finland  
Tel +358 3 883 020 | VAT-number FI01494751 | [teknoware.com](http://teknoware.com) | [emexit@teknoware.com](mailto:emexit@teknoware.com)

 **TEKNOWARE®**

|                             |                                |
|-----------------------------|--------------------------------|
| Product Code                | TW84451WK                      |
| Feature                     | Tapsa Control                  |
| Mounting (standard)         | wall                           |
| Customs Code                | 94056080                       |
| GTIN Code                   | 6438045006666                  |
| ETIM Product Class          | EC001957                       |
| Length                      | 277 mm                         |
| Width                       | 95 mm                          |
| Height                      | 219 mm                         |
| Weight                      | 1,2 kg                         |
| Max Input Power VA          | 8,3 VA                         |
| Max Input Power W           | 4,6 W                          |
| Nominal Supply Voltage      | 220-240 V, 50/60 Hz AC, DC     |
| Protection Class            | I                              |
| IP Class                    | IP20                           |
| Temperature Range Min - Max | -30...+50 °C                   |
| Viewing Distance            | 30 m                           |
| Light Source                | LED                            |
| Body Material               | sheet metal, aluminium profile |
| Electrical Installation     | 3 x 2,5 mm <sup>2</sup>        |

ONE OR MORE OF THESE IS ALSO REQUIRED:

## PICTOGRAMS FOR EMERGENCY EXIT LIGHTS



| Product Code | Pictogram   | Viewing Distance (m) | Compatible Product Groups    |
|--------------|---|----------------------|------------------------------|
| PBV10301E    |  | 30                   | ESC 10 Emergency Exit Lights |
| PBV10302E    |  | 30                   | ESC 10 Emergency Exit Lights |

We reserve the rights to make modifications without notice.

Copyright © 2021 Teknoware. All rights reserved.

Date: February 27, 2021 | Source:

[www.teknoware.com/en/emergency-lighting/esc-10-led-emergency-exit-light-tw84451wk](http://www.teknoware.com/en/emergency-lighting/esc-10-led-emergency-exit-light-tw84451wk)

Teknoware Oy | P.O. Box 19, 15101 Lahti | Ilmarisentie 8, 15200 Lahti Finland

Tel +358 3 883 020 | VAT-number FI01494751 | [teknoware.com](http://teknoware.com) | [emexit@teknoware.com](mailto:emexit@teknoware.com)



## OPTIONAL ACCESSORIES:

### SHOCK PROTECTING COVERS FOR EMERGENCY LIGHTS



| Product Code | Product Name                    | Compatible Product Groups                                  |
|--------------|---------------------------------|--|
| TW77507B     | Shock protecting cover TW77507B | ESC 10 Emergency Exit Lights, ESC 80 Emergency Exit Lights |

### COVER LABELS FOR EMERGENCY EXIT LIGHTS



| Product Code | Pictogram | Compatible Product Groups           |
|--------------|-----------|-------------------------------------|
| PB026B       |           | ESC 10 Emergency Exit Lights, ESC 6 |

## SPARE PARTS:

### SPARE PARTS FOR EMERGENCY LIGHTS



| Product Code | Product Name    | Compatible Product Groups   |
|--------------|-----------------|---|
| W100001      | Ballast W100001 | Addressable 230 V Centrally Supplied Emergency Lights, Addressable 230 V Centrally Supplied Emergency Exit Lights |

We reserve the rights to make modifications without notice.

Copyright © 2021 Teknoware. All rights reserved.


Date: February 27, 2021 | Source:

[www.teknoware.com/en/emergency-lighting/esc-10-led-emergency-exit-light-tw84451wk](http://www.teknoware.com/en/emergency-lighting/esc-10-led-emergency-exit-light-tw84451wk)

Teknoware Oy | P.O. Box 19, 15101 Lahti | Ilmarisentie 8, 15200 Lahti Finland

Tel +358 3 883 020 | VAT-number FI01494751 | [teknoware.com](http://teknoware.com) | [emexit@teknoware.com](mailto:emexit@teknoware.com)





We reserve the rights to make modifications without notice.

Copyright © 2021 Teknoware. All rights reserved.

Date: February 27, 2021 | Source:


[www.teknoware.com/en/emergency-lighting/esc-10-led-emergency-exit-light-tw84451wk](http://www.teknoware.com/en/emergency-lighting/esc-10-led-emergency-exit-light-tw84451wk)

Teknoware Oy | P.O. Box 19, 15101 Lahti | Ilmarisentie 8, 15200 Lahti Finland

Tel +358 3 883 020 | VAT-number FI01494751 | [teknoware.com](http://teknoware.com) | [emexit@teknoware.com](mailto:emexit@teknoware.com)



# ESC 10 LED EMERGENCY EXIT LIGHT TW84451W



## 230 V centrally supplied LED Emergency Exit Light

TW844 is a stylish light plate LED exit light with aluminium profile body, for wall mounting.<

The luminaire can be used 1 sided as well as 2 sided. Long lasting leds are used as the luminaire's light source.

The pictogram of the luminaire is screen printed on the inside surface of the light plate.

We reserve the rights to make modifications without notice.

Copyright © 2021 Teknoware. All rights reserved.

Date: February 27, 2021 | Source:

[www.teknoware.com/en/emergency-lighting/esc-10-led-emergency-exit-light-tw84451w](http://www.teknoware.com/en/emergency-lighting/esc-10-led-emergency-exit-light-tw84451w)

Teknoware Oy | P.O. Box 19, 15101 Lahti | Ilmarisentie 8, 15200 Lahti Finland

Tel +358 3 883 020 | VAT-number FI01494751 | [teknoware.com](http://teknoware.com) | [emexit@teknoware.com](mailto:emexit@teknoware.com)



|                             |                                |
|-----------------------------|--------------------------------|
| Product Code                | TW84451W                       |
| Mounting (standard)         | wall                           |
| Customs Code                | 94056080                       |
| GTIN Code                   | 6438045006659                  |
| ETIM Product Class          | EC001957                       |
| Length                      | 277 mm                         |
| Width                       | 95 mm                          |
| Height                      | 219 mm                         |
| Weight                      | 1,2 kg                         |
| Max Input Power VA          | 8,2 VA                         |
| Max Input Power W           | 3,9 W                          |
| Nominal Supply Voltage      | 220-240 V, 50/60 Hz AC, DC     |
| Protection Class            | I                              |
| IP Class                    | IP20                           |
| Temperature Range Min - Max | -30...+50 °C                   |
| Viewing Distance            | 30 m                           |
| Light Source                | LED                            |
| Body Material               | sheet metal, aluminium profile |
| Electrical Installation     | 3 x 2,5 mm <sup>2</sup>        |

ONE OR MORE OF THESE IS ALSO REQUIRED:

## PICTOGRAMS FOR EMERGENCY EXIT LIGHTS



| Product Code | Pictogram   | Viewing Distance (m) | Compatible Product Groups    |
|--------------|---|----------------------|------------------------------|
| PBV10301E    |  | 30                   | ESC 10 Emergency Exit Lights |
| PBV10302E    |  | 30                   | ESC 10 Emergency Exit Lights |

We reserve the rights to make modifications without notice.

Copyright © 2021 Teknoware. All rights reserved.

Date: February 27, 2021 | Source:

[www.teknoware.com/en/emergency-lighting/esc-10-led-emergency-exit-light-tw84451w](http://www.teknoware.com/en/emergency-lighting/esc-10-led-emergency-exit-light-tw84451w)

Teknoware Oy | P.O. Box 19, 15101 Lahti | Ilmarisentie 8, 15200 Lahti Finland

Tel +358 3 883 020 | VAT-number FI01494751 | [teknoware.com](http://teknoware.com) | [emexit@teknoware.com](mailto:emexit@teknoware.com)





## OPTIONAL ACCESSORIES:

### SHOCK PROTECTING COVERS FOR EMERGENCY LIGHTS



| Product Code | Product Name                    | Compatible Product Groups                                  |
|--------------|---------------------------------|--|
| TW77507B     | Shock protecting cover TW77507B | ESC 10 Emergency Exit Lights, ESC 80 Emergency Exit Lights |

### COVER LABELS FOR EMERGENCY EXIT LIGHTS



| Product Code | Pictogram | Compatible Product Groups           |
|--------------|-----------|-------------------------------------|
| PB026B       |           | ESC 10 Emergency Exit Lights, ESC 6 |

## SPARE PARTS:

### SPARE PARTS FOR EMERGENCY LIGHTS



| Product Code | Product Name    | Compatible Product Groups                                    |
|--------------|-----------------|--|
| W100008      | Ballast W100008 | TKT66C Central Battery Systems, ESC 10 Emergency Exit Lights |

We reserve the rights to make modifications without notice.

Copyright © 2021 Teknoware. All rights reserved.


Date: February 27, 2021 | Source:

[www.teknoware.com/en/emergency-lighting/esc-10-led-emergency-exit-light-tw84451w](http://www.teknoware.com/en/emergency-lighting/esc-10-led-emergency-exit-light-tw84451w)

Teknoware Oy | P.O. Box 19, 15101 Lahti | Ilmarisentie 8, 15200 Lahti Finland

Tel +358 3 883 020 | VAT-number FI01494751 | [teknoware.com](http://teknoware.com) | [emexit@teknoware.com](mailto:emexit@teknoware.com)





We reserve the rights to make modifications without notice.

Copyright © 2021 Teknoware. All rights reserved.

Date: February 27, 2021 | Source:


[www.teknoware.com/en/emergency-lighting/esc-10-led-emergency-exit-light-tw84451w](http://www.teknoware.com/en/emergency-lighting/esc-10-led-emergency-exit-light-tw84451w)

Teknoware Oy | P.O. Box 19, 15101 Lahti | Ilmarisentie 8, 15200 Lahti Finland

Tel +358 3 883 020 | VAT-number FI01494751 | [teknoware.com](http://teknoware.com) | [emexit@teknoware.com](mailto:emexit@teknoware.com)



# ESC 10 LED EMERGENCY EXIT LIGHT TW84441W



## 24 V centrally supplied LED Emergency Exit Light

TW844 is a stylish light plate LED exit light with aluminium profile body, for wall mounting.<

The luminaire can be used 1 sided as well as 2 sided. Long lasting leds are used as the luminaire's light source.

The pictogram of the luminaire is screen printed on the inside surface of the light plate.

|                             |                                |
|-----------------------------|--------------------------------|
| Product Code                | TW84441W                       |
| Mounting (standard)         | wall                           |
| Customs Code                | 94056080                       |
| GTIN Code                   | 6438045006642                  |
| ETIM Product Class          | EC001957                       |
| Length                      | 277 mm                         |
| Width                       | 95 mm                          |
| Height                      | 219 mm                         |
| Weight                      | 1,2 kg                         |
| Max Input Power VA          | 2 VA                           |
| Max Input Power W           | 2,5 W                          |
| Nominal Supply Voltage      | 24 V, 50/60 Hz AC, DC          |
| Protection Class            | III                            |
| IP Class                    | IP20                           |
| Temperature Range Min - Max | -30...+50 °C                   |
| Viewing Distance            | 30 m                           |
| Light Source                | LED                            |
| Body Material               | sheet metal, aluminium profile |
| Electrical Installation     | 2 x 2,5 mm <sup>2</sup>        |

ONE OR MORE OF THESE IS ALSO REQUIRED:

## PICTOGRAMS FOR EMERGENCY EXIT LIGHTS



| Product Code | Pictogram   | Viewing Distance (m) | Compatible Product Groups    |
|--------------|---|----------------------|------------------------------|
| PBV10301E    |   | 30                   | ESC 10 Emergency Exit Lights |
| PBV10302E    |   | 30                   | ESC 10 Emergency Exit Lights |

We reserve the rights to make modifications without notice.

Copyright © 2021 Teknoware. All rights reserved.

Date: February 27, 2021 | Source:

[www.teknoware.com/en/emergency-lighting/esc-10-led-emergency-exit-light-tw84441w](http://www.teknoware.com/en/emergency-lighting/esc-10-led-emergency-exit-light-tw84441w)

Teknoware Oy | P.O. Box 19, 15101 Lahti | Ilmarisentie 8, 15200 Lahti Finland

Tel +358 3 883 020 | VAT-number FI01494751 | [teknoware.com](http://teknoware.com) | [emexit@teknoware.com](mailto:emexit@teknoware.com)



## OPTIONAL ACCESSORIES:

### SHOCK PROTECTING COVERS FOR EMERGENCY LIGHTS



| Product Code | Product Name                    | Compatible Product Groups                                  |
|--------------|---------------------------------|--|
| TW77507B     | Shock protecting cover TW77507B | ESC 10 Emergency Exit Lights, ESC 80 Emergency Exit Lights |

### COVER LABELS FOR EMERGENCY EXIT LIGHTS



| Product Code | Pictogram | Compatible Product Groups           |
|--------------|-----------|-------------------------------------|
| PB026B       |           | ESC 10 Emergency Exit Lights, ESC 6 |

We reserve the rights to make modifications without notice.

Copyright © 2021 Teknoware. All rights reserved.


Date: February 27, 2021 | Source:

[www.teknoware.com/en/emergency-lighting/esc-10-led-emergency-exit-light-tw84441w](http://www.teknoware.com/en/emergency-lighting/esc-10-led-emergency-exit-light-tw84441w)

Teknoware Oy | P.O. Box 19, 15101 Lahti | Ilmarisentie 8, 15200 Lahti Finland

Tel +358 3 883 020 | VAT-number FI01494751 | [teknoware.com](http://teknoware.com) | [emexit@teknoware.com](mailto:emexit@teknoware.com)





We reserve the rights to make modifications without notice.

Copyright © 2021 Teknoware. All rights reserved.

Date: February 27, 2021 | Source:

[www.teknoware.com/en/emergency-lighting/esc-10-led-emergency-exit-light-tw84441w](http://www.teknoware.com/en/emergency-lighting/esc-10-led-emergency-exit-light-tw84441w)

Teknoware Oy | P.O. Box 19, 15101 Lahti | Ilmarisentie 8, 15200 Lahti Finland

Tel +358 3 883 020 | VAT-number FI01494751 | [teknoware.com](http://teknoware.com) | [emexit@teknoware.com](mailto:emexit@teknoware.com)

