


# HEAVY EXIT EMERGENCY EXIT LIGHT



Teknoware Heavy Exit is a robust emergency exit light for demanding conditions such as factories, power plants, machine shops, barns and storage facilities. This nearly maintenance-free luminaire has a heat-tempered glass face and a long-lasting and durable aluminium frame.

The Heavy Exit is IP65-rated, so it is highly resistant to dust, water and chemicals, and it will continue to function even in demanding conditions. It is a surface-mounted emergency exit light and it comes with a five-year product warranty (Escap models with a ten-year product warranty). The colour of the luminaire is gray (RAL 7047).

The product codes starting with letter Y include an individually packed luminaire, and the pictogram/s mentioned in the table. The product codes starting with TW include the luminaire only.

## SELF-CONTAINED ESCAP EMERGENCY EXIT LIGHTS WITH SUPER CAPACITOR AND SELF-TESTING

Product Code	Nominal Supply Voltage	Pictogram	Pictogram Info	Backup (h)
TWSA992WM	220-240 V, 50/60 Hz AC		1-sided, 37 m	1

We reserve the rights to make modifications without notice.  
 Copyright © 2021 Teknoware. All rights reserved.  
 Date: February 23, 2021 | Source:  
[www.teknoware.com/en/emergency-lighting/emergency-exit-lights/emergency-exit-light-product-families/heavy-exit-emergency-exit-light](http://www.teknoware.com/en/emergency-lighting/emergency-exit-lights/emergency-exit-light-product-families/heavy-exit-emergency-exit-light)






## SELF-CONTAINED ESCAP EMERGENCY EXIT LIGHTS WITH SUPER CAPACITOR AND WIRELESS CENTRAL MONITORING

Product Code	Nominal Supply Voltage	Pictogram	Pictogram Info	Backup (h)
TWSA992WA	220-240 V, 50/60 Hz AC		1-sided, 37 m	1

## ADDRESSABLE 230 V CENTRALLY SUPPLIED EMERGENCY EXIT LIGHTS

Product Code	Nominal Supply Voltage	Pictogram	Pictogram Info
TWTA951WK	220-240 V, 50/60 Hz AC,DC		1-sided, 37 m

## PICTOGRAMS FOR EMERGENCY EXIT LIGHTS

Product Code	Pictogram	Viewing Distance (m)	Compatible Product Groups
PBVA901		37	
PBVA904		37	
PBVA902		37	
PBVA903		37	

We reserve the rights to make modifications without notice.

Copyright © 2021 Teknoware. All rights reserved.

Date: February 23, 2021 | Source:


[www.teknoware.com/en/emergency-lighting/emergency-exit-lights/emergency-exit-light-product-families/heavy-exit-emergency-exit-light](http://www.teknoware.com/en/emergency-lighting/emergency-exit-lights/emergency-exit-light-product-families/heavy-exit-emergency-exit-light)



Teknoware Oy | P.O. Box 19, 15101 Lahti | Ilmarisentie 8, 15200 Lahti Finland

Tel +358 3 883 020 | VAT-number FI01494751 | [teknoware.com](http://teknoware.com) | [emexit@teknoware.com](mailto:emexit@teknoware.com)

# HEAVY EXIT EMERGENCY EXIT LIGHT TWSA992WA



## Self-contained emergency exit light with 1 h super capacitor and wireless central monitoring

Teknoware Heavy Exit is a robust emergency exit light for demanding conditions such as factories, power plants, machine shops, barns and storage facilities. This nearly maintenance-free luminaire has a heat-tempered glass face and a long-lasting and durable aluminium frame. The Heavy Exit is IP65-rated, so it is highly resistant to dust, water and chemicals, and it will continue to function even in demanding conditions. It is a surface-mounted emergency exit light and it comes with a five-year product warranty (Escap models with a ten-year product warranty). The colour of the luminaire is gray (RAL 7047).

We reserve the rights to make modifications without notice.  
Copyright © 2021 Teknoware. All rights reserved.  
Date: February 23, 2021 | Source:  
[www.teknoware.com/en/emergency-lighting/heavy-exit-emergency-exit-light-twsa992wa](http://www.teknoware.com/en/emergency-lighting/heavy-exit-emergency-exit-light-twsa992wa)

Teknoware Oy | P.O. Box 19, 15101 Lahti | Ilmarisentie 8, 15200 Lahti Finland  
Tel +358 3 883 020 | VAT-number FI01494751 | [teknoware.com](http://teknoware.com) | [emexit@teknoware.com](mailto:emexit@teknoware.com)

 **TEKNOWARE®**

Product Code	TWSA992WA
Feature	Aalto Control, Escap
Mounting (standard)	wall
Customs Code	94056080
GTIN Code	6438045027210
ETIM Product Class	EC001957
Length	475 mm
Width	235 mm
Height	85 mm
Weight	4 kg
Backup	1 h
Max Input Power VA	3,2 VA
Nominal Supply Voltage	220-240 V, 50/60 Hz AC
Protection Class	I
IP Class	IP65
Temperature Range Min - Max	-25...+35 °C
Glow Wire Test of Plastic Materials	650 °C
Viewing Distance	37 m
Light Source	LED
Body Material	aluminium profile
Electrical Installation	3 x 2,5 mm <sup>2</sup>

ONE OR MORE OF THESE IS ALSO REQUIRED:

## PICTOGRAMS FOR EMERGENCY EXIT LIGHTS



Product Code	Pictogram	Viewing Distance (m)	Compatible Product Groups
PBVA901		37	
PBVA902		37	

We reserve the rights to make modifications without notice.

Copyright © 2021 Teknoware. All rights reserved.

Date: February 23, 2021 | Source:

[www.teknoware.com/en/emergency-lighting/heavy-exit-emergency-exit-light-twsa992wa](http://www.teknoware.com/en/emergency-lighting/heavy-exit-emergency-exit-light-twsa992wa)




Teknoware Oy | P.O. Box 19, 15101 Lahti | Ilmarisentie 8, 15200 Lahti Finland

Tel +358 3 883 020 | VAT-number FI01494751 | [teknoware.com](http://teknoware.com) | [emexit@teknoware.com](mailto:emexit@teknoware.com)

Product Code	Pictogram	Viewing Distance (m)	Compatible Product Groups
PBVA903		37	
PBVA904		37	

# HEAVY EXIT EMERGENCY EXIT LIGHT TWSA992WM



## Self-contained emergency exit light with 1 h super capacitor and self-testing

Teknoware Heavy Exit is a robust emergency exit light for demanding conditions such as factories, power plants, machine shops, barns and storage facilities. This nearly maintenance-free luminaire has a heat-tempered glass face and a long-lasting and durable aluminium frame. The Heavy Exit is IP65-rated, so it is highly resistant to dust, water and chemicals, and it will continue to function even in demanding conditions. It is a surface-mounted emergency exit light and it comes with a five-year product warranty (Escap models with a ten-year product warranty). The colour of the luminaire is gray (RAL 7047).

We reserve the rights to make modifications without notice.  
Copyright © 2021 Teknoware. All rights reserved.  
Date: February 23, 2021 | Source:  
[www.teknoware.com/en/emergency-lighting/heavy-exit-emergency-exit-light-twsa992wm](http://www.teknoware.com/en/emergency-lighting/heavy-exit-emergency-exit-light-twsa992wm)

Teknoware Oy | P.O. Box 19, 15101 Lahti | Ilmarisentie 8, 15200 Lahti Finland  
Tel +358 3 883 020 | VAT-number FI01494751 | [teknoware.com](http://teknoware.com) | [emexit@teknoware.com](mailto:emexit@teknoware.com)



Product Code	TWSA992WM
Feature	Escap, Lumi Test
Mounting (standard)	wall
Customs Code	94056080
GTIN Code	6438045027203
ETIM Product Class	EC001957
Length	475 mm
Width	235 mm
Height	85 mm
Weight	4 kg
Backup	1 h
Max Input Power VA	3,2 VA
Nominal Supply Voltage	220-240 V, 50/60 Hz AC
Protection Class	I
IP Class	IP65
Temperature Range Min - Max	-25...+35 °C
Glow Wire Test of Plastic Materials	650 °C
Viewing Distance	37 m
Light Source	LED
Body Material	aluminium profile
Electrical Installation	3 x 2,5 mm <sup>2</sup>

ONE OR MORE OF THESE IS ALSO REQUIRED:

## PICTOGRAMS FOR EMERGENCY EXIT LIGHTS



Product Code	Pictogram	Viewing Distance (m)	Compatible Product Groups
PBVA901		37	
PBVA902		37	

We reserve the rights to make modifications without notice.

Copyright © 2021 Teknoware. All rights reserved.

Date: February 23, 2021 | Source:

[www.teknoware.com/en/emergency-lighting/heavy-exit-emergency-exit-light-twsa992wm](http://www.teknoware.com/en/emergency-lighting/heavy-exit-emergency-exit-light-twsa992wm)




Teknoware Oy | P.O. Box 19, 15101 Lahti | Ilmarisentie 8, 15200 Lahti Finland

Tel +358 3 883 020 | VAT-number FI01494751 | [teknoware.com](http://teknoware.com) | [emexit@teknoware.com](mailto:emexit@teknoware.com)

Product Code	Pictogram	Viewing Distance (m)	Compatible Product Groups
PBVA903		37	
PBVA904		37	



# HEAVY EXIT EMERGENCY EXIT LIGHT TWTA951WK



## Addressable 230 V centrally supplied emergency exit light

Teknoware Heavy Exit is a robust emergency exit light for demanding conditions such as factories, power plants, machine shops, barns and storage facilities. This nearly maintenance-free luminaire has a heat-tempered glass face and a long-lasting and durable aluminium frame. The Heavy Exit is IP65-rated, so it is highly resistant to dust, water and chemicals, and it will continue to function even in demanding conditions. It is a surface-mounted emergency exit light and it comes with a five-year product warranty (Escap models with a ten-year product warranty). The colour of the luminaire is gray (RAL 7047).

Product Code	TWTA951WK
Feature	Intelligent Controller, Tapsa Control
Mounting (standard)	wall
Customs Code	94056080
GTIN Code	6438045027197
ETIM Product Class	EC001957
Length	475 mm
Width	235 mm
Height	85 mm
Weight	4 kg
Max Input Power VA	8,3 VA
Max Input Power W	4,6 W
Nominal Supply Voltage	220-240 V, 50/60 Hz AC,DC
Protection Class	I
IP Class	IP65
Temperature Range Min - Max	-30...+50 °C
Glow Wire Test of Plastic Materials	650 °C
Viewing Distance	37 m
Light Source	LED
Body Material	aluminium profile
Electrical Installation	3 x 2,5 mm <sup>2</sup>

ONE OR MORE OF THESE IS ALSO REQUIRED:

## PICTOGRAMS FOR EMERGENCY EXIT LIGHTS



Product Code	Pictogram	Viewing Distance (m)	Compatible Product Groups
PBVA901		37	
PBVA902		37	

We reserve the rights to make modifications without notice.

Copyright © 2021 Teknoware. All rights reserved.

Date: February 23, 2021 | Source:

[www.teknoware.com/en/emergency-lighting/heavy-exit-emergency-exit-light-twta951wk](http://www.teknoware.com/en/emergency-lighting/heavy-exit-emergency-exit-light-twta951wk)



Teknoware Oy | P.O. Box 19, 15101 Lahti | Ilmarisentie 8, 15200 Lahti Finland

Tel +358 3 883 020 | VAT-number FI01494751 | [teknoware.com](http://teknoware.com) | [emexit@teknoware.com](mailto:emexit@teknoware.com)

Product Code	Pictogram	Viewing Distance (m)	Compatible Product Groups
PBVA903		37	
PBVA904		37	

We reserve the rights to make modifications without notice.

Copyright © 2021 Teknoware. All rights reserved.

Date: February 23, 2021 | Source:

[www.teknoware.com/en/emergency-lighting/heavy-exit-emergency-exit-light-twta951wk](http://www.teknoware.com/en/emergency-lighting/heavy-exit-emergency-exit-light-twta951wk)

Teknoware Oy | P.O. Box 19, 15101 Lahti | Ilmarisentie 8, 15200 Lahti Finland

Tel +358 3 883 020 | VAT-number FI01494751 | [teknoware.com](http://teknoware.com) | [emexit@teknoware.com](mailto:emexit@teknoware.com)

