


ESC CUBE EMERGENCY EXIT LIGHT



ESC Cube is a large and impressive, cube-shaped LED exit light. Pictograms can be attached on the luminaire on all four sides. ESC Cube has a plastic/metal body.

The luminaire is suitable for ceiling and suspension mounting. Ceiling mounting is included as standard in the luminaire. Long lasting leds are used as the the light source of the luminaire.

ESC Cube is particularly suitable for large public areas such as shopping centers, where the escape route passes through a space in the middle of the staircase. One ESC Cube exit light can cover the guidance for the entire surrounding area.

The product codes starting with letter Y include an individually packed luminaire, and the pictogram/s mentioned in the table. The product codes starting with TW include the luminaire only.

SELF-CONTAINED EMERGENCY EXIT LIGHTS WITH BATTERY AND SELF-TESTING

Product Code	Nominal Supply Voltage	Pictogram	Pictogram Info	Backup (h)
TWK6353WM	220-240 V, 50/60 Hz AC		4-sided, 65 m	

We reserve the rights to make modifications without notice.

Copyright © 2021 Teknoware. All rights reserved.

Date: February 27, 2021 | Source:

www.teknoware.com/en/emergency-lighting/emergency-exit-lights/emergency-exit-light-product-families/esc-cube-emergency-exit-light



SELF-CONTAINED EMERGENCY EXIT LIGHTS WITH BATTERY AND WIRELESS CENTRAL MONITORING

Product Code	Nominal Supply Voltage	Pictogram	Pictogram Info	Backup (h)
TWK6353WA	220-240 V, 50/60 Hz AC		4-sided, 65 m	

OPTIONAL MOUNTING ACCESSORIES FOR EMERGENCY EXIT LIGHTS


Product Code	Product Name	Compatible Product Groups
TWK6301	Esc Cube flag bracket TWK6301	ESC Cube Emergency Exit Light

We reserve the rights to make modifications without notice.
Copyright © 2021 Teknoware. All rights reserved.
Date: February 27, 2021 | Source:
www.teknoware.com/en/emergency-lighting/emergency-exit-lights/emergency-exit-light-product-families/esc-cube-emergency-exit-light



Teknoware Oy | P.O. Box 19, 15101 Lahti | Ilmarisentie 8, 15200 Lahti Finland
Tel +358 3 883 020 | VAT-number FI01494751 | teknoware.com | emexit@teknoware.com

ESC CUBE EMERGENCY EXIT LIGHT TWK6353WA



Self-contained 3 h Battery, Aalto Control compatible, LED Emergency Exit Light

ESC Cube is a large and impressive, cube-shaped LED exit light. Pictograms can be attached on the luminaire on all four sides. ESC Cube has a plastic/metal body.

The luminaire is suitable for ceiling and suspension mounting. Ceiling mounting is included as standard in the luminaire. Long lasting leds are used as the the light source of the luminaire.

ESC Cube is particularly suitable for large public areas such as shopping centers, where the escape route passes through a space in the middle of the staircase. One ESC Cube exit light can cover the guidance for the entire surrounding area.

We reserve the rights to make modifications without notice.
Copyright © 2021 Teknoware. All rights reserved.
Date: February 27, 2021 | Source:
www.teknoware.com/en/emergency-lighting/esc-cube-emergency-exit-light-twk6353wa

Teknoware Oy | P.O. Box 19, 15101 Lahti | Ilmarisentie 8, 15200 Lahti Finland
Tel +358 3 883 020 | VAT-number FI01494751 | teknoware.com | emexit@teknoware.com



Product Code	TWK6353WA
Feature	Aalto Control, Lumi Test
Mounting (standard)	ceiling
Mounting (optional)	pendel
Customs Code	94056080
GTIN Code	6438045022949
ETIM Product Class	EC001957
Length	362 mm
Width	362 mm
Height	371 mm
Weight	4,2 kg
Max Input Power VA	7,8 VA
Max Input Power W	6 W
Nominal Supply Voltage	220-240 V, 50/60 Hz AC
Protection Class	I
IP Class	IP20
Temperature Range Min - Max	-5...+30 °C
Glow Wire Test of Plastic Materials	850 °C
Viewing Distance	65 m
Light Source	LED
Body Material	plastic, metal
Colour	RAL9003
Electrical Installation	3 x 2,5 mm ²

ONE OR MORE OF THESE IS ALSO REQUIRED:

PICTOGRAMS FOR EMERGENCY EXIT LIGHTS



We reserve the rights to make modifications without notice.
 Copyright © 2021 Teknoware. All rights reserved.
 Date: February 27, 2021 | Source:
www.teknoware.com/en/emergency-lighting/esc-cube-emergency-exit-light-twk6353wa



Teknoware Oy | P.O. Box 19, 15101 Lahti | Ilmarisentie 8, 15200 Lahti Finland
 Tel +358 3 883 020 | VAT-number FI01494751 | teknoware.com | emexit@teknoware.com



Product Code	Pictogram	Viewing Distance (m)	Compatible Product Groups
PB6301		65	ESC Cube Emergency Exit Light
PB6302		65	ESC Cube Emergency Exit Light
PB6303		65	ESC Cube Emergency Exit Light

OPTIONAL ACCESSORIES:

OPTIONAL MOUNTING ACCESSORIES FOR EMERGENCY EXIT LIGHTS



Product Code	Product Name	Compatible Product Groups
TWK6300	Suspension bracket TWK6300	ESC Cube Emergency Exit Light









We reserve the rights to make modifications without notice.
 Copyright © 2021 Teknoware. All rights reserved.
 Date: February 27, 2021 | Source:
www.teknoware.com/en/emergency-lighting/esc-cube-emergency-exit-light-twk6353wa

Teknoware Oy | P.O. Box 19, 15101 Lahti | Ilmarisentie 8, 15200 Lahti Finland
 Tel +358 3 883 020 | VAT-number FI01494751 | teknoware.com | emexit@teknoware.com



ESC CUBE EMERGENCY EXIT LIGHT TWK6353WM



Self-contained 3 h Battery with Lumi Test Self-testing, LED Emergency Exit Light

ESC Cube is a large and impressive, cube-shaped LED exit light. Pictograms can be attached on the luminaire on all four sides. ESC Cube has a plastic/metal body.

The luminaire is suitable for ceiling and suspension mounting. Ceiling mounting is included as standard in the luminaire. Long lasting leds are used as the the light source of the luminaire.

ESC Cube is particularly suitable for large public areas such as shopping centers, where the escape route passes through a space in the middle of the staircase. One ESC Cube exit light can cover the guidance for the entire surrounding area.

We reserve the rights to make modifications without notice.
Copyright © 2021 Teknoware. All rights reserved.
Date: February 27, 2021 | Source:
www.teknoware.com/en/emergency-lighting/esc-cube-emergency-exit-light-twk6353wm

Teknoware Oy | P.O. Box 19, 15101 Lahti | Ilmarisentie 8, 15200 Lahti Finland
Tel +358 3 883 020 | VAT-number FI01494751 | teknoware.com | emexit@teknoware.com

 **TEKNOWARE**[®]

Product Code	TWK6353WM
Feature	Lumi Test
Mounting (standard)	ceiling
Mounting (optional)	pendel
Customs Code	94056080
GTIN Code	6438045022956
ETIM Product Class	EC001957
Length	362 mm
Width	362 mm
Height	371 mm
Weight	4,2 kg
Max Input Power VA	7,8 VA
Max Input Power W	6 W
Nominal Supply Voltage	220-240 V, 50/60 Hz AC
Protection Class	I
IP Class	IP20
Temperature Range Min - Max	-5...+30 °C
Glow Wire Test of Plastic Materials	850 °C
Viewing Distance	65 m
Light Source	LED
Body Material	plastic, metal
Colour	RAL9003
Electrical Installation	3 x 2,5 mm ²

ONE OR MORE OF THESE IS ALSO REQUIRED:

PICTOGRAMS FOR EMERGENCY EXIT LIGHTS



We reserve the rights to make modifications without notice.
 Copyright © 2021 Teknoware. All rights reserved.
 Date: February 27, 2021 | Source:
www.teknoware.com/en/emergency-lighting/esc-cube-emergency-exit-light-twk6353wm



Teknoware Oy | P.O. Box 19, 15101 Lahti | Ilmarisentie 8, 15200 Lahti Finland
 Tel +358 3 883 020 | VAT-number FI01494751 | teknoware.com | emexit@teknoware.com



Product Code	Pictogram	Viewing Distance (m)	Compatible Product Groups
PB6301		65	ESC Cube Emergency Exit Light
PB6302		65	ESC Cube Emergency Exit Light
PB6303		65	ESC Cube Emergency Exit Light

OPTIONAL ACCESSORIES:

OPTIONAL MOUNTING ACCESSORIES FOR EMERGENCY EXIT LIGHTS



Product Code	Product Name	Compatible Product Groups
TWK6300	Suspension bracket TWK6300	ESC Cube Emergency Exit Light



We reserve the rights to make modifications without notice.
 Copyright © 2021 Teknoware. All rights reserved.
 Date: February 27, 2021 | Source:
www.teknoware.com/en/emergency-lighting/esc-cube-emergency-exit-light-twk6353wm

Teknoware Oy | P.O. Box 19, 15101 Lahti | Ilmarisentie 8, 15200 Lahti Finland
 Tel +358 3 883 020 | VAT-number FI01494751 | teknoware.com | emexit@teknoware.com

