


Filter solutions for HAM RADIO

LOW
BAND
SYSTEMS

RA6LBS
Volgodonsk,
347382
Russian Federation

DiPlexer "PerfoBox-1500" IN – OUT 50 MHz SERIAL NUMBER: 0417_229

25.04.2017 10:28:21



Specifications:

Loss in the passband:	typical ≤ 0.2 dB
Rejection:	typical ≥ 25 dB
VSWR:	typical less 1:1.25
Impedance:	50 OHm
Maximum ICAS power:	1500W
Dimensions of the filter:	202x150x85 mm
Weight:	not more than 0.630 kg.

January 15, 2021


Filter solutions for HAM RADIO

LOW
BAND
SYSTEMS

RA6LBS
Volgodonsk,
347382
Russian Federation

DiPlexer "PerfoBox-1500" IN – OUT 70 MHz SERIAL NUMBER: 0417_229

25.04.2017 10:31:01



Specifications:

Loss in the passband:	typical ≤ 0.2 dB
Rejection:	typical ≥ 25 dB
VSWR:	typical less 1:1.25
Impedance:	50 Ohm
Maximum ICAS power:	1500W
Dimensions of the filter:	202x150x85 mm
Weight:	not more than 0.630 kg.

January 15, 2021


Filter solutions for HAM RADIO

LOW
BAND
SYSTEMS

RA6LBS
Volgodonsk,
347382
Russian Federation

DiPlexer "PerfoBox-1500" **OUT 50MHz– OUT 70MHz** **SERIAL NUMBER: 0417_229**

25.04.2017 10:32:21



Specifications:

Impedance:	50 OHm
Maximum allowable continuous power:	1500W
Dimensions of the filter:	202x150x85 mm
Weight:	not more than 0.630kg.

January 15, 2021